





GETTING THE JOB DONE,

CASE AFTER CASE.



Every day, the case for CASE Construction Equipment grows stronger — from delivering smart solutions for tough on-site challenges to providing the next generation of builders the tools needed to succeed, CASE machines are backed by more than 180 years of grit, sweat and get-the-job-done efficiency.

That no-nonsense attitude extends to our team, too: with over 300 North American dealer locations, a pipeline of inventors and engineers who will stop at nothing to create swift, smooth machines, service technicians who offer fix-it-right the first time service and an expansive parts inventory available at your fingertips, we're serious about offering steadfast sales, service and support as your construction equipment partner.

Together, we're not just building infrastructure — we're building stronger communities on a rock-solid foundation of hard work, hustle and pragmatic innovation. Because when it comes to helping you achieve your goals, no one will outwork us.



02 CASE Story

03 Overview

04 Features & Benefits

06 Specifications

08 Attachments

10 Value of Support











2 B Series: Skid Steer Loaders

SKID INTO FIRST PLACE.



MORE FEATURES. MORE POSSIBILITIES.

Take a peek under the hood of a CASE B Series skid steer loader and see how every feature is designed, tested and proven to help crush construction and landscaping jobs alike.










1 Amped-Up Hydraulics.

- > Optional High Flow delivers more power.
- Enhanced High Flow provides 4,000 psi for auxiliary hydraulics to run demanding attachments.
- > Implement Flow Control lets you adjust options for optimal performance.



Big front and side windows give you clear sightlines down to the bucket. 360-degree LED lighting lets you adapt to every situation while rear backup cameras, intermittent wipers and rear object detection on select machines offer even more foresight.



Four different ride control activation speeds give you a customizable machine that meets any and every operational need.

4 Reach New Heights.

Choose between two lifting options:

- > Radial lift for tight-space loading, grading, prying and below-grade digging.
- > Vertical lift for material handling, truck loading and pallet stacking.

5 Easy Operation.

Electro-hydraulic controls make skid steers easy to operate. Joysticks are also streamlined for maximum ergonomics and comfort—toggle between H and ISO patterns to fine-tune your controls based on your preferences.





B Series: Skid Steer Loaders















6 Tough Engine Protection.

Engine shutdown and ignition timeout features help engines, batteries and critical systems run stronger and longer.

7 Tier 4 Emission Solutions.

No complex maintenance or filter replacements here. Tier 4 Final-certified equipment is easier to service and offers industry compliance without complexity, maximizing your output while cutting down on downtime.

8 Operator-Centric Design.

Enter a cab with low entry, large steps, a wide door and more legroom. The 8-inch LCD display lets you easily tap into machine settings while an optional enclosed cab gives you heating and air conditioning—reducing fatigue and keeping you comfortably in the zone.

9 Simple Service.

Features like swing-out doors and easily accessible maintenance points make serviceability a snap.

10 Construction-Grade Support.

In addition to its remote monitoring and diagnostics offering, CASE's network of over 300 dealer locations is ready with technicians for tune-ups, repairs and support.

STEER YOUR WAY TO SUCCESS.



SPECIFICATIONS	SR160B	SR175B	SV185B	SR210B	SR240B	SR270B	SV280B	SV340B
Lift Configuration	Radial	Radial	Vertical	Radial	Radial	Radial	Vertical	Vertical
Engine	Perkins N844LT-F- 45SL	Perkins 404F-E22TA	Perkins 404F-E22TA	FPT F5H FL463 A*G001	FPT F5H FL463 A*G001	FPT F5B FL413 D*C001	FPT F5H FL463 A*G001	FPT F5B FL413 D*C001
Gross Horsepower – hp (kW)	60 (44.7)	67 (50)	60 (44.7)	74 (55)	74 (55)	90 (67)	74 (55)	90 (67)
Net Horsepower – hp (kW)	57 (42.2)	64 (47.7)	57 (42.4)	68 (51)	68 (51)	84 (63)	68 (51)	84 (63)
Peak Torque – lb ft (Nm)	139 (188)	153 (208)	135 (183)	232 (314)	232 (314)	282 (383)	232 (314)	282 (383)
Displacement/ Cylinders — in³ (L)	135.2 (2.2) / 4	135.2 (2.2) / 4	135.2 (2.2) / 4	207.0 (3.4) / 4	207.0 (3.4) / 4	207.0 (3.4) / 4	207.0 (3.4) / 4	207.0 (3.4) / 4
Emissions Certification* Solutions	Tier 4 Final (CEGR, DOC, DPF)	Tier 4 Final (CEGR, SCR)						
Rated Operating Capacity (ROC) 50% — Ib (kg)	1,600 (726)	1,750 (790)	1,850 (840)	2,100 (955)	2,400 (1 088)	2,700 (1 225)	2,800 (1 270)	3,400 (1 545)
Tipping Load — lb (kg)	3,200 (1 455)	3,500 (1 588)	3,700 (1 678)	4,200 (1 905)	4,800 (2 177)	5,400 (2 450)	5,600 (2 540)	6,800 (3 090)
Bucket Cylinder Breakout Force – Ib (kN)	5,270 (23.4)	7,270 (32.3)	5,550 (24.7)	7,270 (32.3)	8,680 (39.4)	8,677 (38.6)	8,620 (38.3)	9,531 (42.4)
Standard Auxiliary Hydraulics – gpm (L/min)	18.4 (69.7)	20.6 (78.0)	20.6 (78.0)	24.2 (91.5)	24.2 (91.5)	24.2 (91.5)	24.2 (91.5)	24.2 (91.5)
High-Flow Auxiliary Hydraulics – gpm (L/min)	-	30.7 (116.2)	30.7 (116.2)	33.2 (125.7)	37.6 (142.5)	37.6 (142.5)	37.6 (142.5)	38.7 (146.5)
Operating Weight – lb (kg)	5,645 (2 560)	6,270 (2 842)	6,570 (2 980)	6,970 (3 160)	7,400 (3 350)	8,117 (3 681)	8,000 (3 630)	9,100 (4 136)
DIMENSIONS	SR160B	SR175B	SV185B	SR210B	SR240B	SR270B	SV280B	SV340B
Height to Bucket Hinge Pin — in (m)	112.0 (2.85)	122.0 (3.10)	120.0 (3.05)	123.0 (3.12)	125.1 (3.18)	125.1 (3.18)	129.5 (3.29)	131.6 (3.34)
Dump Height with Low-Profile Bucket** — in (m)	84.8 (2.15)	94.6 (2.4)	90.7 (2.31)	95.6 (2.43)	98.3 (2.50)	98.3 (2.50)	102.2 (2.59)	102.2 (2.59)
Height to Top of ROPS — in (m)	75.5 (1.92)	77.7 (1.97)	77.7 (1.97)	78.7 (2.00)	78.8 (2.00)	78.8 (2.00)	78.8 (2.00)	80.4 (2.04)
Overall Length with Low-Profile Bucket — in (m)	125 (3.18)	134.3 (3.41)	135.8 (3.45)	133.7 (3.40)	146.2 (3.71)	148.0 (3.76)	146.8 (3.73)	148.5 (3.77)
Over-the-Tire Width with Spec. Tires — in (m)	59.8 (1.52)	64.6 (1.64)	64.6 (1.64)	69.1 (1.76)	69.6 (1.77)	69.8 (1.77)	69.6 (1.77)	73.8 (1.88)

*Note: CEGR = Cooled Exhaust Gas Recirculation DOC = Diesel Oxidation Catalyst DPF = Diesel Particulate Filter SCR = Selective Catalytic Reduction **Bucket angle rounded to the nearest degree

BUILD YOUR FLEET FROM THE GROUND UP.

HYDRAULICS

Auxiliary Hydraulics

Auxiliary Hydraulics
Enhanced High-Flow
Auxiliary Hydraulics

Secondary Auxiliary Hydraulics

Manual Coupler

0

0

0

0

Standard

High-Flow

OPERATOR ENVIRONMENT	SR160B	SR175B	SV185B	SR210B	SR240B	SR270B	SV280B	SV340B
Open Cab (No Heat or HVAC)	•	•	•	•	•	•	•	•
Enclosed Cab with Heat and AC	_	0	0	0	0	0	0	0
Enclosed Cab with Heat	0	_	_	_	_	_	_	_
Demolition Door	0	0	0	0	0	0	0	0
Operator Security Codes	0	0	0	0	0	0	0	0
8-in LCD Multi- Function Display	-	0	0	0	0	0	0	0
Machine Settings User Access Levels	_	0	0	0	0	0	0	0
Creep Speed	_	0	0	0	0	0	0	0
Economy Modes	_	0	0	0	0	0	0	0
Ignition Timeout	_	0	0	0	0	0	0	0
Engine Protection Settings	_	0	0	0	0	0	0	0
Suspension Seat, Vinyl	•	•	•	•	•	•	•	•
Air Ride Suspension/ Heated Seat	0	0	0	0	0	0	0	0
One-Speed Controls	•	_	-	-	-	-	-	-
Two-Speed Controls	_	•	•	•	•	•	•	•
Hand Controls	•	•	•	•	•	•	•	•
Hand and Foot Controls	0	0	0	0	0	0	0	0
Electro-Hydraulic Controls	-	0	0	0	0	0	0	0
CASE SiteWatch™ Telematics	0	0	0	0	0	0	0	0
FOPS Level-2 Modification	0	0	0	0	0	0	0	0
Rearview Mirror	•	•	•	•	•	•	•	•
								_

Mariual Coupler								_
Hydraulic Coupler	0	0	0	0	0	0	0	0
Front Electric/ Multi-Function	_	•	•	•	•	•	•	•
Auxiliary Flow Control within Cab	_	0	0	0	0	0	0	0
LOADER S	R160B S	SR175B	SV185B	SR210B	SR240B	SR270B	SV280B	SV340B
Auto Ride Control	_	0	0	0	0	0	0	0
Ride Control™	0	0	0	0	0	0	0	0
One-Way Self Level	0	0	0	0	0	0	0	0
Single-Point Lift Hook	0	0	0	0	0	0	0	0
Four-Point Lift Hook	_	0	0	0	0	0	0	0
Cylinder Guard	_	0	0	0	0	0	0	0
Extra Counterweight	0	0	0	0	0	0	0	0
ENGINE S	R160B S	SR175B	SV185B	SR210B	SR240B	SR270B	SV280B	SV340B
ENGINE S	SR160B S	SR175B O	SV185B	SR210B O	SR240B O	SR270B O	SV280B O	SV340B
Aspirator Block Heater, 120V	•	•	•	•	•	•	0	0
Aspirator Block Heater, 120V	•	•	•	•	•	•	•	0
Aspirator Block Heater, 120V EXTERIOR Standard	•	•	•	•	•	•	•	0
Aspirator Block Heater, 120V EXTERIOR Standard Rear Door Heavy-Duty	•	•	•	•	•	•	•	0
Aspirator Block Heater, 120V EXTERIOR S Standard Rear Door Heavy-Duty Rear Door	○ • • •	○SR175B—	○SV185B—	O • SR210B —	O	O	○SV280B—	○ ● SV340B
Aspirator Block Heater, 120V EXTERIOR Standard Rear Door Heavy-Duty Rear Door Beacon Light Heavy-Duty	O SR160B S	○SR175B—○	SV185B	O SR210B — O	SR240B 0	O SR270B — O	SV280B 0	○ ● SV340B
Aspirator Block Heater, 120V EXTERIOR Standard Rear Door Heavy-Duty Rear Door Beacon Light Heavy-Duty Front Lights	© SR160B S	○SR175B—○	SV185B	O SR210B — O	SR240B 0	SR270B 0	SV280B 0	○ ● SV340B

SR160B SR175B SV185B SR210B SR240B SR270B SV280B SV340B

•

0

0

0

0

0

0

0



● Standard O Optional — Not Applicable

CaseCE.com/SSL 7

Debris Seal Package

GO AHEAD. GET ATTACHED.

Skid steers and attachments go together like dirt and hard work. With hydraulic options that let you run cold planers, mulching heads and stump grinders — plus a new attachment display catalog designed to give you confidence for using specialized equipment — you get tons of versatility in one easy-to-use machine.









Side Discharge Bucket



4-in-1 Bucket



Tree Puller



Bale Handler



Scrap Grapple



Root Rake



6-Way Dozer Blade



Pickup Broom



Pallet Forks



Cold Planer



Auger



Rotary Cutter



Trencher



Arctic® Sectional Sno-Pusher™





SEE OUR FULL LINE AT

CASECE.COM/ ATTACHMENTS











NO ONE OUTWORKS US.

The customer doesn't just come first - you're at the center of everything we do. Your local CASE specialists are ready to help you do more of everything you do best: maximizing production, cutting costs and improving safety through a variety of services and technology.



Base & Extended Limited Warranty Coverage.*

- 1-year/Unlimited-hour full-coverage base limited warranty
- 2-year/2,000-hour extended limited engine warranty. Discuss the extended warranty coverage details with your dealer.



Tech that Delivers.

Command Your Fleet with Telematics

CASE Telematics puts real-time data in your hands. Track location, monitor working status and anticipate maintenance needs across your entire fleet - helping you turn good data into good decisions.

Precision Machine Control that Pays for Itself

SiteControl machine control solutions don't just improve accuracy — they transform profitability. Up your efficiency, productivity and profits anywhere the job takes you.



CNH | CAPITAL | Performance Equipment | Demands Performance Financing.

From protection plans to customized leasing packages, our financial solutions through CNH Capital are engineered for businesses that don't have time for downtime.




Local Support. National Strength.

We back tough equipment with even tougher support. With over 300 dealer locations across North America, CASE delivers the right equipment, financing solutions and after-sale support to keep your business moving forward. That's the kind of boots-on-the-ground business support you can expect - and rely on - from CASE.

B Series: Skid Steer Loaders

See your CASE dealer for limitations, exclusions and confirmation of policies in effect. Engine/EV Batteries warranty coverage provided through CASE. Second year machine warranty coverage applies after base warranty expires.





Protect Your Investment.

PlusCare

Choose service options that match how hard you work.

CASE PlusCare protects your equipment investment with customizable maintenance support tailored to your operation's demands. Scan QR code for more information >




Planned Maintenance Agreements (PMAs)

Get clear, detailed maintenance plans that maximize performance while driving down operating costs, allowing you to focus on what matters — building your business.


Purchased Protection Plan (PPP)

Get protection beyond the base warranty period for both new and used CASE equipment, with flexible payment options and customizable terms through CNH Capital.

>>> COUNTLESS SOLUTIONS



NO ONE WILL OUTWORK US:



©2025 CNH Industrial America LLC. All rights reserved. CASE and CNH Industrial are trademarks registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH Industrial America LLC., are the property of those respective companies.

Form No. CCE202509SSL Replaces Form No. CCE202506SSL IMPORTANT: CASE Construction Equipment Inc. reserves the right to change these specifications without notice and without incurring any obligation relating to such change. Availability of some models and our incurrent builds are according to the country. and equipment builds vary according to the country in which the equipment is used. The illustrations and text may include optional equipment and accessories and may not include all standard equipment. Your CASE dealer/distributor will be able to give you details of the products and their specifications available in your area.

CONSTRUCTION

regulations. All specifications are stated in accordance with SAE Standards or Recommended Practices, where applicable.

Always read the Operator's Manual before operating equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs and use any safety features provided.