Roll-Belt™ Plus Range

Roll-Belt™ 150 PLUS
Roll-Belt™ 180 PLUS




NEW HOLLAND



Summary

Roll-Belt™ Plus round balers range	04
New Holland Round Balers	06
Driveline and pick-up	08
Feeding system	10
Bale chamber	12
Wrapping	14
Technology	16
New Holland FieldOps™	18
Turn Data into Productivity, quality and peace of mind	20
Maintenance	22
New Holland Aftersales Products and Services	24
Specifications	26

Roll-Belt™ Plus round balers range

Roll-Belt™ Plus round balers are designed to make everyday baling simple, reliable and efficient for mixed farms and livestock operations. Built on proven New Holland baling technology, Roll-Belt™ Plus combines smooth crop flow, consistent bale quality and intuitive control to help you turn forage into feed and bedding you can rely on, season after season, crop after crop.



Mixed farms & livestock

When your baler is part of daily farm life, it must be easy to use, versatile and dependable. Roll-Belt™ Plus is built for farmers who bale for their own herd, including hay, straw or silage, which need consistent results without complexity. From gentle crop handling to flexible feeding and net wrapping choices, Roll-Belt™ Plus helps you produce the right bale, at the right density, with less effort and more peace of mind.

Driveline and pick-up
See page 08



Feeding system
See page 10





Bale chamber
See page 12



Technology
See page 16



New Holland Round Balers

For decades, New Holland round balers have been helping farmers and contractors around the world with one promise: to consistently produce perfectly shaped, dense and uniform bales, whatever the crop or harvesting conditions. With a complete range of fixed and variable chamber balers, New Holland offers the right solution for every operation, from family farms seeking simplicity to professionals demanding maximum productivity.

Fixed chamber balers

Roll-Bar™ 125

A proven design delivering flexibility, simplicity and easy maintenance.

- Bale size: 125 x 120cm
- Feeding system: SuperFeed™ / CropCutter™
- Required PTO power: from 55hp
- Pickup width: 2.00m
- Wrapping system: twine / net



Variable chamber balers

Roll-Belt™ Plus

More connected, more intuitive and more productive in every field.

- Bale size: 90–150 x 120cm / 90–180 x 120cm
- Feeding system: ActiveSweep™ / SuperFeed™ / CropCutter™
- Required PTO power: from 60hp
- Pickup width: 2.00m - 2.30m
- Wrapping system: twine / net



Fixed chamber balers

Roll Baler 125 / 125 Combi

Reliable, consistent performance, even in the most demanding conditions.

- Bale size: 125 x 122cm
- Feeding system: CropCutter™
- Required PTO power: from 130hp
- Pickup width: 2.14m
- Wrapping system: twine / net





Variable chamber balers

Pro-Belt™

Designed for professionals seeking maximum throughput and extreme performance.

- Bale size: 90–165 x 120cm / 90–190 x 120cm
- Feeding system: SuperFeed™ / CropCutter™
- Required PTO power: from 100hp
- Pickup width: 2.35m
- Wrapping system: net



Driveline and pick-up

Roll-Belt™ Plus pick-up and driveline components are designed to ensure clean crop intake, steady feeding and reliable operation, helping you work comfortably in a wide range of crops and conditions.



Pick-up with roller windguard – Clean sweep, smooth flow

The Roll-Belt™ Plus pick-up delivers a clean, even crop intake, helping maintain consistent bale shape and density.

The roller windguard gently controls the crop flow, reducing bunching and keeping feeding smooth, especially in uneven or bulky swaths.

Dual augers – Even feeding across the full width

Dual augers guide crop efficiently from the sides toward the centre of the baler.

This ensures uniform feeding into the chamber, helping form well-shaped, square-shouldered bales and reducing operator corrections during baling.




CROPCUTTER

Feeding system

Roll-Belt™ Plus offers flexible feeding solutions to match your needs, from gentle handling of dry hay to high-capacity feeding and optional cutting for silage and bedding.





Choose your feeding system

System	Best for	Value
ActiveSweep™	Dry hay, fragile crops	Preserve quality
SuperFeed™	Heavy windrows	Max throughput
CropCutter™	Silage / bedding	Density & feed quality



ActiveSweep™ – Gentle handling for delicate crops

ActiveSweep™ feeds crop smoothly and directly into the bale chamber with minimal mechanical complexity. It is ideal for dry hay and light crops where preserving fibre length and bale appearance is a priority.



SuperFeed™ – More capacity, more confidence

SuperFeed™ delivers a positive, powerful feed into the bale chamber, helping handle heavier windrows with ease. It's a great choice for farmers looking for higher capacity without the need for cutting and with the drop floor blockages are cleared quick and easy, to maximise your throughput.



CropCutter™ – Flexible cutting, fewer interruptions

For silage or bedding, CropCutter™ provides consistent cut length to improve bale density, feed quality and ease of handling. If crop flow becomes excessive, the drop floor helps clear potential blockages quickly, keeping you moving without stress.

Bale chamber

The Roll-Belt™ Plus bale chamber is designed for smooth bale formation, high durability and long service life, delivering reliable performance every season.



Enhanced durability – Built for long-term reliability

Roll-Belt™ Plus benefits from strengthened components and improved roll and bearing durability, delivering up to 50% longer service life. That means reduced repair costs and downtime.

Endless belts – Reliable grip, low maintenance

High-quality endless belts provide strong, even grip on the crop during bale formation. Their durable design helps maintain consistent bale shape while reducing daily maintenance requirements.







Density management – Adapt bales to your needs

Easily control bale density to suit feeding, bedding or storage requirements. Whether you want firm bales for handling or softer cores for easier consumption, Roll-Belt™ Plus gives you the flexibility to adapt throughout the day.

Wrapping

Roll-Belt™ Plus Net wrapping systems are designed for fast, reliable application, helping protect bale quality and maintain shape during handling, transport and storage.





Duckbill system – Reliable starts, every time

The duckbill system ensures positive and consistent introduction of net wrapping material into the bale chamber, helping achieve smooth, trouble-free net wrapping cycles, bale after bale.



EdgeWrap™ technology – Better shape, better protection

EdgeWrap™ technology applies net over the edges of the bale, improving shape retention and protecting bales during handling, storage and transport.



Net wrap compatibility – Freedom to choose

Roll-Belt™ Plus is compatible with a wide range of net wrap brands and types, allowing you to use what works best for your operation or your customers.

The baler is also compatible with Nature's Net Wrap, a compostable net wrap providing the same performances while reducing plastic waste and disposal costs, supporting environmentally responsible farming practices.



Twine wrapping – Simple and economical

Twine wrapping offers a cost-effective option for dry hay and straw, delivering reliable bale containment with straightforward operation, ideal for everyday farm use and special applications.

Technology

Roll-Belt™ Plus technology focuses on ease of use, comfort and clear information, helping every operator achieve consistent results.



1 **Automatic stop**
When the target bale size is reached, the tractor stops automatically.



IntelliBale™ – Let automation do the work

IntelliBale™ automates the baling cycle by automatically stopping, wrapping and ejecting each bale, less fatigue, more consistency and more bales at the end of the day.

Display solutions – Simple, clear, intuitive

Choose between 8-inch and 12-inch displays to fit your tractor and your way of working. The ISOBUS interface is clear and easy to use, putting all key baling information and settings at your fingertips without distraction.




Moisture sensor – Make the right decision, every time

Real-time moisture monitoring helps you decide when to keep baling, adjust strategy or protect bale quality. The result is better preservation, more consistent results and greater peace of mind.



2 Automatic bale cycle

Net binding, tailgate opening and closing are completed automatically.



3 Easy restart

Resume baling by pressing the forward shuttle button on the joystick.

NEW HOLLAND FieldOps

New Holland FieldOps™ enables you to manage your machine and agronomic data in one convenient location. Manage data quickly, enhance your work in the field or remotely and make informed decisions based on your field operations.

Monitor Machines in Near Real-Time

Stay on top of machine activity with near real-time tracking of machine parameters, location, job status and task completion.

Plan the next operation based on where machines are now and access a 24-hour machine history to optimise every move. Quickly detect abnormal machine conditions with customizable alerts and resolve critical events to maximise uptime.




Proactive Dealer Support

Keep the contact with your local New Holland dealer to stay up and running by ensuring any potential issues are identified and addressed promptly to minimise downtime and maximise productivity.





Optimise input use with smarter planning and actionable insights
Boost productivity and operational efficiency
Maximise uptime with proactive monitoring



Manage Tasks and Visualize Agronomic Data Layers

Create and send parameters like field names, boundaries, guidance lines and prescriptions directly to your New Holland and compatible third-party machines. Seamlessly transfer yield and other data into FieldOps™ for centralized management.
Gain powerful insights into your fields with in-depth analysis tools. View and compare multiple layers of agronomic data across the season—and year over year—to support better decision-making and long-term planning.



Give your operators extra support with **remote display viewing.**
Use FieldOps™ to help your operators make real-time adjustments, almost as if you are in the cab with them.




Create a free New Holland FieldOps account and get connected!


fieldops.newholland.com

Turn Data into Productivity, quality and peace of mind

New Holland FieldOps™ connects your baler, your field data and your operation into one smart ecosystem. It transforms baling data into actionable insight – helping you work smarter, protect bale quality and stay in control of your operation.











1. Full visibility of baling performance: know exactly what happens in the field, in real time

Live monitoring of baler activity, bale count, and field progress.

- Clear overview of machine utilisation across the season.
- Immediate insight into who is working, where, and how efficiently.

For you: better control of operations, fewer surprises, improved planning.

2. Consistent bale quality and traceability: every bale accounted for – no guessing

- Automatic recording of key bale data (number of bales, weight*, moisture*, location*).
- Bale history stored and accessible for later review.
- Easier quality justification for contractors and professional customers.

For you: consistent output, reliable documentation and higher confidence when selling or storing bales.

* depending on machine configuration.

3. Faster decision-making during baling: react immediately, not after the job is done

Real-time alerts for machine status or performance deviations.

- Immediate feedback allows corrective action while still in the field.
- Reduced risk of quality losses caused by late decisions.

For you: fewer mistakes, optimised harvest windows, better use of labour and machinery.

4. Simplified farm and fleet management: one platform, less paperwork

All field and machine data stored in a single digital environment.

- Easy overview of multiple balers, operators and fields.
- Reduced manual reporting and less administrative load.

For you: more time for core business, less time behind a desk.

5. Higher uptime and better maintenance planning: prevent issues instead of reacting to them

Remote machine diagnostics and health monitoring.

- Early indication of potential issues.
- Better coordination with the dealer for service and maintenance.

For you: reduced downtime, better machine longevity, lower stress during peak season.

6. A scalable solution for professional operations: from single baler to full contracting fleets

Suitable for farmers, contractors and mixed fleets.

- Supports long-term performance analysis across seasons.
- Easy to integrate into modern, data-driven farm management.

For you: a future-proof tool that grows with the business.

Maintenance

Roll-Belt™ Plus is built to keep maintenance straightforward, with smart lubrication systems and easy access to service points, helping you spend more time farming and less time servicing.









Lubrication – Continuous protection

Roll-Belt™ Plus is equipped with centrally located manual greasing points, helping to keep key components properly lubricated, reducing wear and extending service life without daily manual intervention.



Optional chain oiling and automatic greasing – Reduced daily workload

Automatic chain oiling and greasing can be installed on the baler to take care of lubrication for critical components, such as chains, helping reduce maintenance time and ensuring consistent protection.



New Holland Aftersales Products and Services

In choosing New Holland you have made a quality choice. You are ready to start your journey with us and our network, counting on a wide range of quality products and professional services available and next to you season after season.

GENUINE PARTS

Top performance guaranteed at all times

Committed to keeping your machines in top condition for like-new performance, New Holland offers a wide range of Genuine Parts, manufactured to the same high standards and with the same high-quality components used in new machines.

Genuine Parts are the result of a certified supply chain and stringent tests on the conformity, the reliability and the durability, to ensure consistent high levels of safety and performance over time.



REMAN PARTS

Recommended for your ageing New Holland machine

Choosing the Reman range means embracing our circular product lifecycle approach with the certainty that the components fitted to your machine will be as efficient as new.

Thanks to the unrivalled know-how acquired over the last decades, New Holland is the ideal partner for such a complex and sophisticated industrial process, sustainably remanufacturing the essential components of your machine to the highest standards, guaranteeing as good as new quality at an affordable price.

ACCESSORIES

Tailored to your farming

Every day, New Holland implement solutions that make your machine unique and reliable, covering every single demand.


From safety to productivity, from comfort to power, the complete range of accessories is adapted to your specific activities, as single items or in kits set up by your New Holland dealer.

Ambra lubricants

With the right lubricants, you can protect your machine, minimise maintenance and downtime and boost your performance.

Ambra lubricants line, engineered by Petronas specifically for New Holland machines, is our recommended choice.







UPTIME SERVICE

Developed by New Holland, Uptime Service is the new, professional and flexible Planned Maintenance Programme designed to make it easier for you to manage long term routine maintenance.

Planned Maintenance is a key factor to keep your equipment always in good shape, maximizing the performance and the uptime through scheduled operations carried out by professional New Holland Dealer' technicians, using only genuine parts and lubricants.

Connected Services

INTELLICENTRE

New Holland FieldOps™ is the Telematics Portal to stay constantly connected with your equipment from the comfort of your office. With New Holland FieldOps™ you can monitor the locations and the usage of your fleets, manage precision farming operations, get the Dealer's remote support 24/7 and much more.

New Holland technicians operating in the Dealer's IntelliCentre, remotely monitor the connected machines preventing possible failures before they even occur.

UPTIME SUPPORT

In high season, our Uptime Support experts are ready to support 24/7 as soon as your assistance request is recorded.

Together with your New Holland dealer, we do everything possible to provide the quickest and most effective support, until the matter is fixed and you are back in your field! You can activate Uptime Support through the Top Service phone number or FieldOps™ App.

UPTIME WARRANTY

With Uptime Warranty you are assured that all possible failures will be professionally fixed by specialized New Holland Dealer's technicians and you won't need to pay for anything, keeping operating costs under control.

Uptime Warranty is the New Holland extended warranty program offering maximum protection, minimum cost and highest resale value.

Included on Roll-Belt™ PLUS range

UPTIME PACK

New Holland Uptime Pack – All the best services in one pack

Uptime Pack group together the best of New Holland aftersales services in different packages designed to maximise uptime, improve operational safety, keep costs under control and increase productivity. There are three levels of support for our customer: Uptime Pack Basic, Uptime Pack Plus and Uptime Pack Premium.

Farm with peace of mind

Maximise your uptime

Stay connected with your farming

Increase your productivity





New Holland Style

Want to make New Holland a part of your everyday life? Browse the comprehensive selection on **www.newhollandstyle.com**

A whole range of items are available including hard wearing work clothing and a vast selection of scale models, together with so much more. New Holland. As individual as you.

Models	Roll-Belt™ 150 PLUS			Roll-Belt™ 180 PLUS		
Version	**ActiveSweep™**	**SuperFeed™**	**CropCutter™**	**ActiveSweep™**	**SuperFeed™**	**CropCutter™**
Baler dimensions & weights						
Width *(mm)*	1181					
Diameter min. / max. *(mm)*	914 / 1524			914 / 1829		
Length - tailgate closed *(mm)*	4701			4869		
Width – 380/55-17 tyres *(mm)*	2776					
Width – 480/45-17 tyres *(mm)*	2776					
Width – 500/55-20 tyres *(mm)*	2822					
Maximum height *(mm)*	2913			3333		
Estimated shipping weight without options *(kg)*	3080	3442	3602	3300	3656	3816
MaxiSweep™ pick-up						
Protection	Integral automatic clutch	Radial pin clutch		Integral automatic clutch	Radial pin clutch	
Width – inside/tine-to-tine *(mm)*	1805	2000		1805	2000	
Width – outside/flare-to-flare *(mm)*	2132	2280		2132	2280	
Number of tines	112	160		112	160	
Number of tine bars	4	5		4	5	
Dual no-tools gauge wheels	○					
Dual no-tools castering gauge wheels	●					
ActiveSweep™, SuperFeed™ & CropCutter™ feeding systems						
Rotor design	W-pattern					
Diameter *(mm)*	360	455		360	455	
Number of knives	–		15	–		15
Theoretical cutting length *(mm)*	–		72	–		72
Activation	–		Hydraulic	–		Hydraulic
Knife protection	–		Individual springs	–		Individual springs
ActiveDrop™ drop floor system	–	○	●	–	○	●

Models	Roll-Belt™ 150 PLUS			Roll-Belt™ 180 PLUS		
Version	**ActiveSweep™**	**SuperFeed™**	**CropCutter™**	**ActiveSweep™**	**SuperFeed™**	**CropCutter™**
Premium endless belts						
Number of belts	4					
Type	Self-cleaning ribs					
Wrapping system						
Twine	○					
EdgeWrap™ net	●					
Bale ramp						
Spring-loaded	●					
Technology						
ISOBUS less display	●					
Bale Command™ 8 display	○					
IntelliView™ IV display	○					
IntelliView™ 12 display	○					
In-cab density and core controls	●					
Factory moisture sensor (7-60% range)	○					
Connectivity						
Basic telematics using CM100 modem	●					
Advanced telematics using PCM modem	○					
Tyre options						
380/55-17	○	–		○	–	
480/45-17	●	○		●	○	
500/55-20	○	●		○	●	
Tractor requirements						
Minimum PTO power *(hp)*	60	85	100	70	90	105
Hydraulic remotes	2	3	4	2	3	4
PTO speed standard / optional *(rpm)*	540 / 1000					

● Standard ○ Optional – Not available



New Holland prefers Ambra lubricants

www.newholland.com/uk - www.newholland.com/ie

NEW HOLLAND

The data indicated in this folder are approximate. The models described here can be subjected to modifications without any notice by the manufacturer. The drawings and photos may refer to equipment that is either optional or intended for other countries. Please apply to our Sales Network for any further information. Published by New Holland Brand Communications. BTS Adv. - Printed in Italy - 10/26 - (Turin) - 263001/INB