OPTUM

CASE IH

OPTUM

TRACTORS FROM
360 – 435 hp



CASE IH

OPTUM SERIES

Reliable Performance.
Flexible Application.
More Horsepower.

up to **435 hp**

60 kph transmission

EFH Electronic Front Hitch

Fully integrated **CTIS**

NEW 360 l hydraulic pump

PURPOSEFUL SOLUTIONS BUILT BY FARMERS

3 models from 360 to 435 hp

New Optum series tractors deliver greater value, offering more power and integrated technology to serve your operation's multipurpose needs. Purposefully designed, the Optum offers flexible application solutions no matter the season or task at hand. With seamless implement swapping and a best-in-class operator experience, achieve your most productive and efficient runtime to date.



POWER BALANCED WITH CONTROL

- A range of 360, 390, and 440 models to serve varying operational needs
- New cursor 9 engine (435 hp permanent power availability*)
- Flat engine curve for consistent power across all RPMs
- Extended 750-hour service interval for less downtime and reduced maintenance costs
- 4x2 CVXDrive transmission to optimize power to ground
- Powerful engine/exhaust decompression brake
- New rear 3-point linkage with increased lift capacity (11.76 t)
- Dual hydraulic pumps with increased draw-off capacity (85 l/min) for more system efficiency

* Specific to the 440 model

INCREASED COMFORT AND PRODUCTIVITY

- Fastest road speeds yet, up to 60 kph for faster transfers
- Operate with precision and comfort: the Multicontroller keeps all commands at your fingertips
- The Central Tire Inflation System (CTIS) allows in-cab tire pressure adjustment, optimizing traction, fuel efficiency, ground compaction and tire longevity across varying terrain
- New independent front axle suspension for more driving comfort
- Walk in entry steps, step lights, adjustable first step
- Featuring integrated storage, a built-in toolbox, and a convenient water tank, this all-in-one solution is designed to keep you organized, efficient, and ready for any job
- Experience unmatched visibility on the job site with 360° LED worklights delivering a powerful 59,640 lumens
- New Advanced Cab Suspension with twin-rod design and refined software ensures outstanding stability and ride comfort

FLEXIBILITY FOR MULTIPURPOSE USE

- Tight turns and better maneuverability thanks to the 6.1m turning radius
- Adaptive Steering Control reduces steering effort and wheel turns, making tight maneuvers faster and easier
- Quicker ballast adjustments with the easy to install rear wheel weights
- The Electronic Front Hitch allows ground pressure control from the cab for gentle operation:
  - Weight transfer to the front axle for better traction and stability
  - Remains precise steering with a front packer
  - Faster mowing speeds and cleaner forage
- 2 speed front PTO and 2 speed rear PTO
- FieldOps to manage machine and agronomic data, and enable Connected Services.
- Connectivity Included: full access, no subscriptions. Stay connected for the entire lifespan of the modem
- ISOBUS implement compatibility with Tractor Implement Management (TIM)



CASE IH FieldOps

SCAN FOR MORE INFORMATION!

MODELS	Capacity	Rated Power @ 2,000 rpm	Max. Power @ 1,800 rpm	Transmission / Speed Options [km/h]	Max. Lift Capacity [kg]	Max. Pump Flow Standard (TwinFlow) [l/min]	Base Weight / Max. Permissible Weight [kg]	Wheelbase [mm]
OPTUM 440	8.7 l	435 hp	435 hp	CVXDrive (40/50/60)	11,760	220 (360)	12,450 / 18,000	3,190
OPTUM 390	8.7 l	390 hp	390 hp	CVXDrive (40/50/60)	11,760	220 (360)	12,450 / 18,000	3,190
OPTUM 360	8.7 l	360 hp	360 hp	CVXDrive (40/50/60)	11,760	220 (360)	12,450 / 18,000	3,190



caseih.com

Free phone: 00 800 22 73 44 00

Safety never hurts! Always read the Operator's Manual before working with any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. This literature has been published for worldwide circulation. The standard and optional equipment and the availability of individual models may vary from one country to the next. Case IH reserves the right to undertake modifications without prior notice to the design and technical equipment at all times without this resulting in any obligation whatsoever to make such modifications to units already sold. Whilst every effort is made to ensure that the specifications, descriptions and illustrations in this brochure are correct at the time of going to press, these are also subject to change without prior notice. Illustrations may show optional equipment or may not show all standard equipment. Case IH recommends AKCELA lubricants.

Subscribe now for exclusive offers & updates

TP01 / SM / 10.25 / Printed in Austria - CIH_25_Optum_440_CVXDrive_ADV_Flyer_4p_001_COM

CASE IH