

# THE RANGE

## PRODUCT AND SERVICE





**HEAVY** LINE



+ **WHEEL**  
LOADERS

+ **CRAWLER**  
EXCAVATORS

+ **CRAWLER**  
EXCAVATORS SR

+ **SPECIAL**  
APPLICATIONS

+ **WHEELED**  
EXCAVATORS

+ **GRADERS**



# WHEEL LOADERS



	BUCKET PAYLOAD (t)	BUCKET VOLUME (m³)	ENGINE	POWER (kW / hp)	MAX WEIGHT (t)
521G Evolution	3.9	2.1	FPT N45 / EU Stage V	106 / 142	11.8
621G Evolution	4.7	2.4	FPT N67 / EU Stage V	128 / 172	13.6
651G Evolution	5.1*	2.6*	FPT N67 / EU Stage V	128/172	14.2*
721G Evolution	5.3*	3-2*	FPT N67 / EU Stage V	145 / 195	15.8*
821G Evolution	6.2*	3.6*	FPT N67 / EU Stage V	172 / 230	18.5*
921G Evolution	7.0*	4.2*	FPT N67 / EU Stage V	190 / 255	20.5*
1021G Evolution	9.5	4.4	FPT - Cursor 9 / EU Stage V	239 / 320	27.0
1121G Evolution	10.2	5.0	FPT - Cursor 9 / EU Stage V	259 / 347	29.5

\* Z-Bar Loader Arm with Rehandling Bucket

# CRAWLER EXCAVATORS



	WEIGHT (t)	ENGINE	POWER (kW / hp)	MAX HEIGHT (m)	MAX REACH (m)	DIGGING DEPTH (m)
CX130E	13.3	FPT NEF4 / EU Stage V	78.8 / 106	-	8.77	6.05
CX160E	17.3	FPT NEF4 / EU Stage V	96.5 / 130	-	9.38	6.49
CX180E	18.4	FPT NEF4 / EU Stage V	96.5 / 130	-	9.38	6.47
CX210E	21.6	FPT NEF6 / EU Stage V	124 / 166	-	9.90	6.64
CX210E-S	22.2	FPT NEF6 / EU Stage V	124 / 166	-	9.90	6.64
CX240E	23.4	FPT NEF6 / EU Stage V	124 / 166	-	9.90	6.59
CX250E	25.2	FPT NEF6 / EU Stage V	138 / 185	-	10.79	7.42
CX300E	29.6	FPT NEF6 / EU Stage V	204 / 274	-	11.16	7.58
CX350D	35.7	Isuzu - VE-6HK1X / EU Stage V	210 / 282	-	11.90	8.14
CX370D	37.9	Isuzu - VE-6HK1X / EU Stage V	210 / 282	-	11.17	7.34
CX490D	49.4	Isuzu - VE-6UZ1X / EU Stage V	270 / 362	-	11.97	7.72
CX750D	72.0	Isuzu - VE-6WG1X / EU Stage V	382 / 512	-	14.45	9.85

## SR

CX145D SR	14.5	Isuzu - VD-4JJ1X / EU Stage V	78.5 / 105	-	8.89	6.01
CX245D SR	24.4	Isuzu - VD-4HK1X / EU Stage V	124 / 166	-	9.86	6.65

## SPECIAL APPLICATIONS

CX130E LR	15.4	FPT NEF4 / EU Stage V	78.8 / 106	12.07	13.10	10.13
CX210E LR	23.8	FPT NEF6 / EU Stage V	124 / 166	12.97	15.60	12.01
CX250E LR	29.2	FPT NEF6 / EU Stage V	138 / 185	13.95	18.32	14.56
CX500D ME	49.6	Isuzu - VE-6UZ1X / EU Stage V	270 / 362	10.70	10.80	6.49
CX750D ME	72.9	Isuzu - VE-6WG1X / EU Stage V	382 / 521	11.06	11.73	7.18

# WHEELED EXCAVATORS



	WEIGHT (t)	ENGINE	POWER (kW / hp)	MAX REACH (m)	DIGGING DEPTH (m)
WX140E	14.9	Cummins B4.5 / EU Stage V	129 / 173	8.91	5.76
WX160E	17.6	Cummins B4.5 / EU Stage V	129 / 173	9.29	6.26
WX155E SR	16.9	Cummins B4.5 / EU Stage V	129 / 173	8.52	5.28
WX175E SR	18.8	Cummins B4.5 / EU Stage V	129 / 173	9.02	5.57
WX210E	21.3	Cummins B6.7 / EU Stage V	129 / 173	9.97	6.43



# GRADERS



	ENGINE	POWER FROM 1 <sup>ST</sup> TO 3 <sup>RD</sup> GEAR (kW / hp)	POWER FROM 4 <sup>TH</sup> TO 6 <sup>TH</sup> GEAR (kW / hp)	MAX OPERATING WEIGHT (t)
836D 4WD	FPT - Tier 4F / EU Stage V	102 / 138	115 / 156	12.8
836D AWD	FPT - Tier 4F / EU Stage V	102 / 138	115 / 156	12.8
856D 4WD	FPT - Tier 4F / EU Stage V	129 / 173	142 / 190	16.6
856D AWD	FPT - Tier 4F / EU Stage V	129 / 173	142 / 190	16.6



# COMPACT LINE





+ **MINI**  
EXCAVATORS

+ **SKID STEER, MINI TRACK  
& COMPACT TRACK**  
LOADERS

+ **BACKHOE**  
LOADERS

+ **COMPACT**  
WHEEL LOADERS

+ **MIDI CRAWLER**  
EXCAVATORS

# MINI EXCAVATORS

## D-SERIES



	OPERATING WEIGHT (kg)	ENGINE	POWER (kW / hp)	WIDTH (mm)	DIGGING DEPTH* (mm)
CX12D	1305	Kubota D722 / Stage V	8.8 / 11.8	790 - 1050	1860 / 1980
CX14D	1360	Kubota D722 / Stage V	8.8 / 11.8	790 - 1050	2045 / 2175
CX15EV	1315	Electric model powered by a lithium ion cobalt free battery	11 / 14.7	790 - 1050	2045 / 2175
CX17D	1690 / 1800	Yanmar 3TNV70 / Stage V	12 / 16.1	990 / 1250	2020 / 2220
CX18D	1830 / 1940	Yanmar 3TNV70 / Stage V	12 / 16.1	990 / 1300	2280 / 2480
CX19D	1880 / 1990	Yanmar 3TNV76 / Stage V	13.7 / 18.4	990 / 1300	2280 / 2480
CX20D	2010 / 2120	Yanmar 3TNV76 / Stage V	13.7 / 18.4	990 / 1300	2380 / 2580
CX22D	2220 / 2320	Kubota D1105 / Stage V	15.4 / 20.7	990 / 1300	2560 / 2760
CX25EV	2340 / 2470	Electric model powered by a lithium ion cobalt free battery	25 / 33.5	990 / 1300	2550 / 2750
CX25D	2580 / 2710	Yanmar 3TNV76 / Stage V	13.7 / 18.4	1500	2700 / 2900

\*Standard / long arm



	OPERATING WEIGHT (kg)	ENGINE	POWER (kW / hp)	WIDTH (mm)	DIGGING DEPTH* (mm)
CX30D	3110 / 3240	Kubota D1703-M / Stage V	18.2 / 24.4	1550	2640 / 2830
CX35D	3480	Kubota D1703-M / Stage V	18.2 / 24.4	1580	2870 / 3070
CX38D	3910	Kubota D1703-M / Stage V	18.2 / 24.4	1700	3070 / 3320
CX42D	4350	Kubota D1803-CR-T / Stage V	32.3 / 43.2	1750	3085 / 3335
CX45D	4750	Kubota D1803-CR-T / Stage V	32.3 / 43.2	1750	3230 / 3480
CX50D	4950	Kubota V2403-CR-T / Stage V	42.6 / 57.1	1900	3330 / 3580
CX55D	5400	Kubota V2403-CR-T / Stage V	42.6 / 57.1	1900	3490 / 3740
CX58D	5670	Kubota V2607-CR-T / Stage V	44.3 / 59.4	1980	3400 / 3570
CX60D	5970	Kubota V2607-CR-T / Stage V	44.3 / 59.4	1980	3850 / 4100
CX65D	6520	Kubota V2607-CR-T / Stage V	44.3 / 59.4	1980	3950 / 4200



# SKID STEER, MINI TRACK & COMPACT TRACK LOADERS



	RATED OPERATING CAPACITY 50% (kg)	ENGINE	POWER (kW / hp)	OPERATING WEIGHT (kg)
SR175B	790	PERKINS 2.2 lt / Stage V	50 / 67	2842
SV185B	840	PERKINS 2.2 lt / Stage V	45 / 60	2980
SR210B	955	FPT 3.4 lt / Stage V	55 / 74	3160
SR240B	1088	FPT 3.4 lt / Stage V	55 / 74	3350
SV280B	1270	FPT 3.4 lt / Stage V	55 / 74	3630
SV340B	1545	FPT 3.6 lt / Stage V	67 / 90	4045
TL100	714	Kubota D1305-E4B	18.5 / 24.8	1716
TR270B	1225	FPT 3.4 lt / Stage V	55 / 74	3750
TR310B	1406	FPT 3.4 lt / Stage V	55 / 74	4027
TV370B	1682	FPT 3.4 lt / Stage V	55 / 74	4370
TV450B	2045	FPT 3.6 lt / Stage V	67 / 90	4823

# BACKHOE LOADERS



	BACKHOE TYPE	WEIGHT (kg)*	ENGINE	POWER (kW / hp)	LOADER BUCKET CAPACITY (ltr)**	BACKHOE DIGGING DEPTH (mm)***
580SV	14ft Case DNA	8870	FPT / EU Stage V	72 / 97	1000 / 1150 / 1200	5328
	14ft In-line cylinder	8760		72 / 97	1000 / 1150 / 1200	5378
	15ft In-line cylinder	8800		72 / 97	1000 / 1150 / 1200	5688
590SV	15ft Case DNA	9000	FPT / EU Stage V	82 / 110	1000 / 1150 / 1200	5780
	15ft In-line cylinder	8800		82 / 110	1000 / 1150 / 1200	5688
695SV	15ft Case DNA	9490	FPT / EU Stage V	82 / 110	1150 / 1200	5641
	15ft In-line cylinder	9290		82 / 110	1150 / 1200	5550

\* With Tool Carrier Loader arm / \*\*Standard, 4X1, 6X1 buckets are available / \*\*\*Extended

# COMPACT WHEEL LOADERS



	ENGINE	POWER (kW / hp)	BUCKETS (m³)	SPEED (km/h)	CAB HEIGHT (m)	FORK PAYLOAD (80%) (kg)*
12EV Evolution	Electric model powered by a lithium ion cobalt- free battery	23 kWh	0.5	20	2.46	1145
21F Evolution	FPT 3.4 lt / Stage V	43 / 58	0.7 / 1.0	20	2.46	1648
121F Evolution	FPT 3.4 lt / Stage V	48 / 64	0.8 / 1.1	20	2.46	1838
221F Evolution	FPT 3.4 lt / Stage V	55 / 74	0.9 / 1.2	20-40 (HTS)	2.63	2249
321F Evolution	FPT 3.4 lt / Stage V	55 / 74	1.0 / 1.3	20-40 (HTS)	2.68	2330 (Z-Bar) 1973 (XR)
421G	FPT 3.6 lt / Stage V	72/96	1.5/1.7	20-40	3.05	3360

(\*) with HP quick coupler and no extra-counterweight



# MIDI CRAWLER EXCAVATORS



	WEIGHT (kg)	ENGINE	POWER (kW / hp)	DIGGING DEPTH* (mm)
CX70E	7290	Kubota V2607-CR-T Stage V	44.3/59.4	4070 (4270)
CX75E	7580	Kubota V2607-CR-T Stage V	44.3/59.4	4120 (4320)
CX85E	8830	Yanmar 4TNV98CT Stage V	53.7/72.0	3670 (4020)
CX90E	9210	Yanmar 4TNV98CT Stage V	53.7/72.0	4130 (4480)
CX100E	10080	Yanmar 4TNV98CT Stage V	53.7/72.0	4320 (4670)

\*Standard / long arm



# CNH CAPITAL

## FINANCIAL SOLUTIONS



A complete offer to finance your machines and services : Leasing, Loans, Hire Purchase<sup>(1)</sup>, Insurance<sup>(2)</sup>; Extended warranty, maintenance, repair services and various types of insurance<sup>(2)</sup> can also be included in the package. We always propose the best customised options to finance your CASE new and used machines.

### THE IDEAL FINANCIAL SOLUTION FOR EVERY CASE CUSTOMER

CNH Capital is the finance brand for CASE Construction Equipment. Our staff of financial services specialists has many years of experience in the construction sector.

We know the CASE products and markets very well. Most importantly, we have an in-depth understanding of the individual requirements of your business. For this reason, we are able to offer the best financing solutions for your investment, that are a perfect fit for your operational and business requirements, and for the intended use of your new or used equipment. Depending on your needs, the solution may be a loan, a rental or a leasing<sup>(1)</sup> agreement. Our top priority is to ensure you get the most out of your investment! And you can combine every CNH Capital financing package with CNH Capital insurance covers<sup>(2)</sup>, both tailored to your needs so that you can eliminate risk from your investment and plan effectively.

For more information, please contact your CASE dealer.

<sup>(1)</sup> Subject to credit approval.

<sup>(2)</sup> Offerings and products may vary by country, depending on the local fiscal and accounting regulations.



# AFTERSALES PRODUCTS AND SERVICES



## AFTERSALES PRODUCTS

Keep your equipment performing at its best and protect your investment's value with the extensive offering of high-quality CASE Parts.

### **Genuine Parts** *HIGH PERFORMANCE*

Optimize your performance and add value to your machine with high-quality genuine parts.

### **FLEETPRO™**

Ensure your machine's performance beyond warranty and manage your budget with CASE's quality second-line range of parts.

### **Attachments.** *BUSINESS SOLUTIONS*

Add versatility to performance with CASE attachments designed for CASE machines and tested by CASE engineers.

### **Reman Parts** *REMANUFACTURED*

Choose sustainable quality with remanufactured parts designed for CASE equipment of all ages.

### CASE CARE

Maximize your machine's uptime and efficiency with this planned maintenance program.



### CASE PROTECT

Avoid unexpected costs with this extended warranty program.



ServiceSolutions



### CASE FLUID ANALYSIS

Ensure your machine's uptime with detailed fluid reporting.

### myCASEConstruction

Boost your machine's profitability by tracking and managing your fleet's operating data.

### CASE SITECONNECT

Connects your Dealer to your machine for remote support.



## SERVICE SOLUTIONS

Enjoy the peace of mind of knowing CASE Service Solutions will keep your equipment in top condition with maximum uptime, no unexpected costs, and help you optimize your profitability.

# BUILDING A STRONG CASE.

Since 1842, at CASE Construction Equipment we have lived by an unwavering commitment to build practical, intuitive solutions that deliver both efficiency and productivity.

We continually strive to make it easier for our customers to implement emerging technologies and new compliance mandates.

Today, our global scale combined with our local expertise enables us to keep customers' real-world challenges at the center of our product development.

The vast CASE dealers' network is always ready to support and protect your investment and exceed your expectations, while also providing you with the ultimate ownership experience.

Our goal is to build both stronger machines-and stronger communities. At the end of the day, we do what's right for our customers and our communities so that they can count on CASE.

**CNH Industrial**  
Deutschland GmbH  
Case Baumaschinen  
Benzstr. 1-3 - D-74076 Heilbronn  
DEUTSCHLAND

**CNH Industrial Maquinaria Spain, S.A.**  
Avenida Aragón 402  
28022 Madrid - ESPAÑA

**CNH Industrial France, S.A.**  
16-18 Rue des Rochettes  
91150 Morigny-Champigny  
FRANCE

**CNH Industrial Italia Spa**  
Lungo Stura Lazio 19  
10156, Torino  
ITALIA

**CASE Construction Equipment**  
Cranes Farm Rd  
Basildon - SS14 3AD  
UNITED KINGDOM

NOTE: Standard and optional fittings can vary according to the demands and specific regulations of each country. The illustrations may include optional rather than standard fittings - consult your Case dealer. Furthermore, CNH Industrial reserves the right to modify machine specifications without incurring any obligation relating to such changes.

Conforms to directive 2006/42/EC

**CASECE.COM**  
**00800-2273-7373**

The call is free from a land line.  
Check in advance with your Mobile Operator if  
you will be charged. Toll free number not available  
from all calling areas.