

THE RANGE
PRODUCT AND SERVICE





HEAVY LINE



+ **WHEEL**
LOADERS

+ **CRAWLER**
EXCAVATORS

+ **CRAWLER**
EXCAVATORS SR

+ **SPECIAL**
APPLICATIONS

+ **WHEELED**
EXCAVATORS

+ **GRADERS**

WHEEL LOADERS



	BUCKET PAYLOAD (t)	BUCKET VOLUME (m ³)	ENGINE	POWER (kW / hp)	MAX WEIGHT (t)
521G Evolution	3.9	2.1	FPT N45 / EU Stage V	106 / 142	11.8
621G Evolution	4.7	2.4	FPT N67 / EU Stage V	128 / 172	13.6
721G Evolution	5.5	2.8	FPT N67 / EU Stage V	145 / 195	15.5
821G Evolution	6.4	3.4	FPT N67 / EU Stage V	172 / 230	19.3
921G Evolution	7.5	4.0	FPT N67 / EU Stage V	190 / 255	21.5
1021G Evolution	9.5	4.4	FPT - Cursor 9 / EU Stage V	239 / 320	27.0
1121G Evolution	10.2	5.0	FPT - Cursor 9 / EU Stage V	259 / 347	29.5

CRAWLER EXCAVATORS



	WEIGHT (t)	ENGINE	POWER (kW / hp)	MAX HEIGHT (m)	MAX REACH (m)	DIGGING DEPTH (m)
CX130E	13.3	FPT NEF4 / EU Stage V	78.8 / 106	-	8.77	6.05
CX160E	17.3	FPT NEF4 / EU Stage V	96.5 / 130	-	9.38	6.49
CX180E	18.4	FPT NEF4 / EU Stage V	96.5 / 130	-	9.38	6.47
CX210E	21.6	FPT NEF6 / EU Stage V	124 / 166	-	9.90	6.64
CX240E	23.4	FPT NEF6 / EU Stage V	124 / 166	-	9.90	6.59
CX250E	25.2	FPT NEF6 / EU Stage V	138 / 185	-	10.79	7.42
CX300E	29.6	FPT NEF6 / EU Stage V	204 / 274	-	11.16	7.58
CX350D	35.7	Isuzu - VE-6HK1X / EU Stage V	210 / 282	-	11.90	8.14
CX370D	37.9	Isuzu - VE-6HK1X / EU Stage V	210 / 282	-	11.17	7.34
CX490D	49.4	Isuzu - VE-6UZ1X / EU Stage V	270 / 362	-	11.97	7.72
CX750D	72.0	Isuzu - VE-6WG1X / EU Stage V	382 / 512	-	14.45	9.85
SR						
CX145D SR	14.5	Isuzu - VD-4JJ1X / EU Stage V	78.5 / 105	-	8.89	6.01
CX245D SR	24.4	Isuzu - VD-4HK1X / EU Stage V	124 / 166	-	9.86	6.65
SPECIAL APPLICATIONS						
CX130E LR	15.4	FPT NEF4 / EU Stage V	78.8 / 106	12.07	13.10	10.13
CX210E LR	23.8	FPT NEF6 / EU Stage V	124 / 166	12.97	15.60	12.01
CX250E LR	29.2	FPT NEF6 / EU Stage V	138 / 185	13.95	18.32	14.56
CX500D ME	49.6	Isuzu - VE-6UZ1X / EU Stage V	270 / 362	10.70	10.80	6.49
CX750D ME	72.9	Isuzu - VE-6WG1X / EU Stage V	382 / 521	11.06	11.73	7.18

WHEELED EXCAVATORS



	WEIGHT (t)	ENGINE	POWER (kW / hp)	MAX REACH (m)	DIGGING DEPTH (m)
WX140E	14.9	Cummins B4.5 / EU Stage V	129 / 173	8.91	5.76
WX160E	17.6	Cummins B4.5 / EU Stage V	129 / 173	9.29	6.26
WX155E SR	16.9	Cummins B4.5 / EU Stage V	129 / 173	8.52	5.28
WX175E SR	18.8	Cummins B4.5 / EU Stage V	129 / 173	9.02	5.57
WX210E	21.3	Cummins B6.7 / EU Stage V	129 / 173	9.97	6.43

GRADERS



	ENGINE	POWER FROM 1 ST TO 3 RD GEAR (kW / hp)	POWER FROM 4 TH TO 6 TH GEAR (kW / hp)	MAX OPERATING WEIGHT (t)
836C 4WD	FPT - Tier 4F / EU Stage IV	102 / 138	115 / 156	12.8
836C AWD	FPT - Tier 4F / EU Stage V	102 / 138	115 / 156	12.8
856C 4WD	FPT - Tier 4F / EU Stage IV	129 / 173	142 / 190	16.6
856C AWD	FPT - Tier 4F / EU Stage V	129 / 173	142 / 190	16.6



COMPACT LINE



+ **MINI**
EXCAVATORS

+ **SKID STEER LOADERS**
AND COMPACT TRACK LOADERS

+ **BACKHOE**
LOADERS

+ **COMPACT**
WHEEL LOADERS

+ **MIDI CRAWLER**
EXCAVATORS

MINI EXCAVATORS

D-SERIES



	OPERATING WEIGHT (kg)	ENGINE	POWER (kW / hp)	WIDTH (mm)	DIGGING DEPTH* (mm)
CX12D	1305	Kubota D722 / Stage V	8.8 / 11.8	790 - 1050	1860 / 1980
CX14D	1360	Kubota D722 / Stage V	8.8 / 11.8	790 - 1050	2045 / 2175
CX15EV	1315	Internal Permanent Magnets (IPM)	11 / 14.9	790 - 1050	2045 / 2175
CX17D	1690 / 1800	Yanmar 3TNV70 / Stage V	12 / 16.3	990 / 250	2020 / 2220
CX18D	1830 / 1940	Yanmar 3TNV70 / Stage V	12 / 16.3	990 / 1300	2280 / 2480
CX19D	1880 / 1990	Yanmar 3TNV76 / Stage V	13.7 / 18.6	990 / 1300	2280 / 2480
CX20D	2010 / 2120	Yanmar 3TNV76 / Stage V	13.7 / 18.6	990 / 1300	2380 / 2580
CX22D	2090 / 2190	Kubota D1105 / Stage V	15.4 / 20.9	990 / 1300	2560 / 2760
CX25D	2580 / 2710	Yanmar 3TNV76 / Stage V	13.7 / 18.6	1500	2700 / 2900
CX25EV	2220 / 2320	Internal Permanent Magnets (IPM)	25 / 34	990 / 1300	2650 / 2850
CX28D	3020 / 3150	Kubota D1703-M-DI-E4B / Stage V	18.2 / 24.7	1550	2660 / 2860
CX35D	3270 / 3400	Kubota D1703-M-DI-E4B / Stage V	18.2 / 24.7	1580	2870 / 3070
CX42D	4350	Kubota D1803-CR-T / Stage V	32.3 / 43.9	1750	3085 / 3335
CX45D	4750	Kubota D1803-CR-T / Stage V	32.3 / 43.9	1750	3230 / 3480
CX50D	4950	Perkins 404J-E22T / Stage V	44.0 / 59.8	1900	3330 / 3580
CX55D	5400	Perkins 404J-E22T / Stage V	44.0 / 59.8	1900	3490 / 3740
CX58D	5670	Kubota V2607-CR-T / Stage V	44.3 / 60.2	1980	3400 / 3570
CX60D	5970	Kubota V2607-CR-T / Stage V	44.3 / 60.2	1980	3850 / 4100
CX65D	6520	Kubota V2607-CR-T / Stage V	44.3 / 60.2	1980	3950 / 4200

*Standard / long arm

MINI EXCAVATORS

C-SERIES



	WEIGHT* (kg)	ENGINE	POWER (kW / hp)	WIDTH (mm)	DIGGING DEPTH** (mm)
CX17C	1770	Kubota D902 - T4 Final / Stage V	12.5 / 16.8	990 - 1300	2200 / 2350
CX19C	1995	Kubota D902 - T4 Final / Stage V	12.5 / 16.8	980 - 1250	2245 / 2405
CX26C	2650	Kubota D1305 - T4 Final / Stage V	18.5 / 24.8	1500	2420 / 2645
CX30C	3005	Kubota D1305 - T4 Final / Stage V	18.5 / 24.8	1550	2500 / 2720
CX37C	3760	Yanmar 3TNV88F - T4 Final / Stage V	18.2 / 24.4	1740	3135 / 3440
CX57C***	5580	Yanmar 4TNV98C - T4 Final / Stage V	49.9 / 66.9	1920	3820 / 4060
CX60C***	5980	Yanmar 4TNV98C - T4 Final / Stage V	49.3 / 64.7	1980	3570 / 3990

* Cab version except CX17C which exists in Canopy version only

** Short / long arm

*** Check with your CASE Dealer model availability in your country

SKID STEER LOADERS AND COMPACT TRACK LOADERS



	RATED OPERATING CAPACITY 50% (kg)	ENGINE	POWER (kW / hp)	OPERATING WEIGHT (kg)
SR175B	790	PERKINS 2.2 lt / Stage V	50 / 67	2842
SV185B	840	PERKINS 2.2 lt / Stage V	45 / 60	2980
SR210B	955	FPT 3.4 lt / Stage V	55 / 74	3160
SR240B	1088	FPT 3.4 lt / Stage V	55 / 74	3350
SV280B	1270	FPT 3.4 lt / Stage V	55 / 74	3630
SV340B	1545	FPT 3.6 lt / Stage V	67 / 90	4045
TR270B	1225	FPT 3.4 lt / Stage V	55 / 74	3750
TR310B	1406	FPT 3.4 lt / Stage V	55 / 74	4027
TV370B	1682	FPT 3.4 lt / Stage V	55 / 74	4370
TV450B	2045	FPT 3.6 lt / Stage V	67 / 90	4823

BACKHOE LOADERS



	BACKHOE TYPE	WEIGHT (kg)*	ENGINE	POWER (kW / hp)	LOADER BUCKET CAPACITY (litr)**	BACKHOE DIGGING DEPTH (mm)***
580SV	14ft Case DNA	8870	FPT / EU Stage V	72 / 97	1000 / 1150 / 1200	5514
	14ft In-line cylinder	8760		72 / 97	1000 / 1150 / 1200	5627
	15ft In-line cylinder	8800		72 / 97	1000 / 1150 / 1200	5881
590SV	15ft Case DNA	9000	FPT / EU Stage V	82 / 110	1000 / 1150 / 1200	5965
	15ft In-line cylinder	8800		82 / 110	1000 / 1150 / 1200	5881
695SV	15ft Case DNA	9490	FPT / EU Stage V	82 / 110	1150 / 1200	5965
	15ft In-line cylinder	9290		82 / 110	1150 / 1200	5881

* With Tool Carrier Loader arm / **Standard, 4X1, 6X1 buckets are available / ***Extended

COMPACT WHEEL LOADERS



	ENGINE	POWER (kW / hp)	BUCKETS (m ³)	SPEED (km/h)	CAB HEIGHT (m)	FORK PAYLOAD (80%) (kg)*
21F Evolution	FPT 3.4 lt / Stage V	43 / 58	0.7 / 1.0	20	2.46	1648
121F Evolution	FPT 3.4 lt / Stage V	48 / 64	0.8 / 1.1	20	2.46	1838
221F Evolution	FPT 3.4 lt / Stage V	55 / 74	0.9 / 1.2	20-40 (HTS)	2.63	2249
321F Evolution	FPT 3.4 lt / Stage V	55 / 74	1.0 / 1.3	20-40 (HTS)	2.68	2330 (Z-Bar) 1973 (XR)

(*) with HP quick coupler and no extra-counterweight

MIDI CRAWLER EXCAVATORS



	WEIGHT (t)	ENGINE	POWER (kW / hp)	DIGGING DEPTH (m)
CX85D SR	7.93	Yanmar 4TNV98CT-L2WSH / EU Stage V	50.7 / 68	4.63
CX85D SR Offset Boom	8.49	Yanmar 4TNV98CT-L2WSH / EU Stage V	50.7 / 68	4.59
CX90D MSR Swing Boom	8.63	Yanmar 4TNV98CT-L2WSH / EU Stage V	50.7 / 68	4.67

SR: Short Radius

MSR: Medium Short Radius



CNH INDUSTRIAL CAPITAL

FINANCIAL SOLUTIONS



A complete offer to finance your machines and services : Leasing, Loans, Hire Purchase⁽¹⁾, Insurance⁽²⁾; Extended warranty, maintenance, repair services and various types of insurance⁽²⁾ can also be included in the package. We always propose the best customised options to finance your CASE new and used machines.

THE IDEAL FINANCIAL SOLUTION FOR EVERY CASE CUSTOMER

CNH Industrial Capital is the finance brand for CASE Construction Equipment. Our staff of financial services specialists has many years of experience in the construction sector.

We know the CASE products and markets very well. Most importantly, we have an in-depth understanding of the individual requirements of your business. For this reason, we are able to offer the best financing solutions for your investment, that are a perfect fit for your operational and business requirements, and for the intended use of your new or used equipment. Depending on your needs, the solution may be a loan, a rental or a leasing⁽¹⁾ agreement. Our top priority is to ensure you get the most out of your investment! And you can combine every CNH Industrial Capital financing package with CNH Industrial Capital insurance covers⁽²⁾, both tailored to your needs so that you can eliminate risk from your investment and plan effectively.

For more information, please contact your CASE dealer.

⁽¹⁾ Subject to credit approval.

⁽²⁾ Offerings and products may vary by country, depending on the local fiscal and accounting regulations.

AFTERSALES PRODUCTS AND SERVICES



AFTERSALES PRODUCTS

Keep your equipment performing at its best and protect your investment's value with the extensive offering of high-quality CASE Parts.

Genuine Parts HIGH PERFORMANCE

Optimize your performance and add value to your machine with high-quality genuine parts.

FLEETPRO

Ensure your machine's performance beyond warranty and manage your budget with CASE's quality second-line range of parts.

Attachments. BUSINESS SOLUTIONS

Add versatility to performance with CASE attachments designed for CASE machines and tested by CASE engineers.

Reman Parts REMANUFACTURED

Choose sustainable quality with remanufactured parts designed for CASE equipment of all ages.

CASE CARE

Maximize your machine's uptime and efficiency with this planned maintenance program.



CASE PROTECT

Avoid unexpected costs with this extended warranty program.



ServiceSolutions



CASE FLUID ANALYSIS

Ensure your machine's uptime with detailed fluid reporting.

CASE SITEWATCH

Boost your machine's profitability by tracking and managing your fleet's operating data.

CASE SITECONNECT

Connects your Dealer to your machine for remote support.



SERVICE SOLUTIONS

Enjoy the peace of mind of knowing CASE Service Solutions will keep your equipment in top condition with maximum uptime, no unexpected costs, and help you optimize your profitability.

BUILDING A STRONG CASE.

Since 1842, at CASE Construction Equipment we have lived by an unwavering commitment to build practical, intuitive solutions that deliver both efficiency and productivity.

We continually strive to make it easier for our customers to implement emerging technologies and new compliance mandates.

Today, our global scale combined with our local expertise enables us to keep customers' real-world challenges at the center of our product development.

The vast CASE dealers' network is always ready to support and protect your investment and exceed your expectations, while also providing you with the ultimate ownership experience.

Our goal is to build both stronger machines-and stronger communities. At the end of the day, we do what's right for our customers and our communities so that they can count on CASE.

CNH Industrial
Deutschland GmbH
Case Baumaschinen
Benzstr. 1-3 - D-74076 Heilbronn
DEUTSCHLAND

CNH Industrial Maquinaria Spain, S.A.
Avenida Aragón 402
28022 Madrid - ESPAÑA

CNH Industrial France, S.A.
16-18 Rue des Rochettes
91150 Morigny-Champigny
FRANCE

CNH Industrial Italia Spa
Lungo Stura Lazio 19
10156, Torino
ITALIA

CASE Construction Equipment
Cranes Farm Rd
Basildon - SS14 3AD
UNITED KINGDOM

NOTE: Standard and optional fittings can vary according to the demands and specific regulations of each country. The illustrations may include optional rather than standard fittings - consult your Case dealer. Furthermore, CNH Industrial reserves the right to modify machine specifications without incurring any obligation relating to such changes.

Conforms to directive 2006/42/EC

CASECE.COM
00800-2273-7373

The call is free from a land line.
Check in advance with your Mobile Operator if
you will be charged. Toll free number not available
from all calling areas.