The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
SECTION 1. PRODUCT AND CO	MPANY IDENTIFICATION	
Product name	: New Holland Hydraulic Transmissio	n Oil - Premium
Product code	: 00114810	
Manufacturer or supplier's of Supplier	details : TransDiesel Limited NZBN 9429036551132 533 Halswell Junction Road Christchurch 8042 New Zealand	
Telephone Telefax	: 0800 848 267 (All Hours) :	
Emergency telephone number	: 0800 848 267 (All Hours)	
Recommended use of the c Recommended use	hemical and restrictions on use : Transmission oil.	

SECTION 2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. Not classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2017., Not classified as Dangerous Goods for transport, according to NZS 5433:2012 Transport of Dangerous Goods on Land.

Hazard classification

GHS Classification

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements

Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.

Precautionary statements

Prevention:

No precautionary phrases.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
	Response:	
	No precautionary phrases.	
	Storage:	
	No precautionary phrases.	
	Disposal:	
	No precautionary phrases.	

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Alkyl borate	Not Assigned	Skin Sens.1B; H317	0.1 - 0.9
Borated ester	1471314-23-4	Skin Sens.1B; H317	0.1 - 0.9
Dialkylamine alkylene	Not Assigned	Skin Sens.1B; H317	0.1 - 0.9
glycol		Aquatic Chronic3; H412	

For explanation of abbreviations see section 16.

SECTION 4. FIRST-AID MEASURES

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available.

_

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020 If persistent irritation occurs, obtain med	Print Date 02.09.2020
In case of eye contact :	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention. 	
If swallowed :	In general no treatment is necessary ur are swallowed, however, get medical ac	e .
Most important symptoms : and effects, both acute and delayed	Oil acne/folliculitis signs and symptoms of black pustules and spots on the skin Ingestion may result in nausea, vomiting	of exposed areas.
Protection of first-aiders :	When administering first aid, ensure that appropriate personal protective equipm incident, injury and surroundings.	
Notes to physician :	Treat symptomatically.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during firefighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Avoid contact with skin and eyes.
-----------------------	-------------------------------------

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
protective equipment and emergency procedures		
Environmental precautions	 Use appropriate containment to avoid environmental contamination. Prevent from spreading or entering drain ditches or rivers by using sand, earth, or other appropria barriers. 	
	Local authorities should be advised cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	: Slippery when spilt. Avoid accident Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an absor Soak up residue with an absorbent suitable material and dispose of pro-	a barrier with sand, earth orbent. such as clay, sand or other
Additional advice	: For guidance on selection of persor see Section 8 of this Safety Data SI For guidance on disposal of spilled this Safety Data Sheet.	heet.

SECTION 7. HANDLING AND STORAGE

General Precautions	:	Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	:	Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	:	Strong oxidising agents.
Product Transfer	:	Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage		
Other data	:	Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers. Store at ambient temperature.

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
Packaging material	: Suitable material: For containers o steel or high density polyethylene. Unsuitable material: PVC.	r container linings, use mild
Container Advice	: Polyethylene containers should no temperatures because of possible	

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	WES-TWA (Mist)	5 mg/m3	NZ OEL
	Further informativapour.	ation: Sampled b	by a method that does	s not collect
Oil mist, mineral	Not Assigned	WES-STEL (Mist)	10 mg/m3	NZ OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures

: The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select

ersion 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
	controls based on a risk assessm Appropriate measures include:	
	Adequate ventilation to control ai	roome concentrations.
	Where material is heated, spraye greater potential for airborne con	
	General Information: Define procedures for safe handl	ling and maintenance of
	controls.	
	Educate and train workers in the measures relevant to normal acti product.	
	Ensure appropriate selection, tes equipment used to control expos equipment, local exhaust ventilat	ure, e.g. personal protective
	Drain down system prior to equipment break-in or	oment break-in or
	maintenance. Retain drain downs in sealed sto subsequent recycle.	rage pending disposal or
	Always observe good personal h washing hands after handling the drinking, and/or smoking. Routin protective equipment to remove of contaminated clothing and footwo Practice good housekeeping.	e material and before eating, hely wash work clothing and contaminants. Discard
Personal protective equipme	ent	
Protective measures		
	t (PPE) should meet recommended n	ational standards. Check with
Respiratory protection	: No respiratory protection is ordin	arily required under normal

Respiratory protection	No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C (149°F)].
Hand protection	
Remarks	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide

Version 1.0	Revision Date 01.09.2020 Print Date 02.09.2020
	suitable chemical protection. PVC, neoprene or nitrile rubber gloves Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with
Fire and other	breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye protection	: If material is handled such that it could be splashed into eyes, protective eyewear is recommended.
Skin and body protection	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Thermal hazards	: Not applicable
Environmental exposure con	trols
General advice	 Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
SECTION 9. PHYSICAL AND CHE	MICAL PROPERTIES
Appearance	: Liquid at room temperature.
Colour	: amber
Odour Threshold	: Data not available

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

pH	Not applicable	Date 02.09.20
pour point	42 °C / -44 °FMethod: ASTM D97	
Initial boiling point and boiling range	> 280 °C / 536 °Festimated value(s)	
Flash point	230 °C / 446 °F Method: ASTM D92 (COC)	
Evaporation rate	Data not available	
Flammability (solid, gas)	Data not available	
Upper explosion limit	Typical 10 %(V)	
Lower explosion limit	Typical 1 %(V)	
Vapour pressure	< 0.5 Pa (20 °C / 68 °F) estimated value(s)	
Relative vapour density	> 1estimated value(s)	
Relative density).873 (15 °C / 59 °F)	
Density	373 kg/m3 (15.0 °C / 59.0 °F) Method: ASTM D4052	
Solubility(ies)		
Water solubility	negligible	
Solubility in other solvents	Data not available	
Partition coefficient: n- octanol/water	og Pow: > 6(based on information on similar p	roducts)
Auto-ignition temperature	> 320 °C / 608 °F	
Decomposition temperature	Data not available	
Viscosity		
Viscosity, dynamic	Data not available	
Viscosity, kinematic	9.6 mm2/s (100 °C / 212 °F) Method: ASTM D445	
	61.4 mm2/s (40.0 °C / 104.0 °F) Method: ASTM D445	

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0 Oxidizing properties	Revision Date 01.09.2020Print Date 02.09.202: Data not available	20
Conductivity	: This material is not expected to be a static accumulator.	
SECTION 10. STABILITY AND R	EACTIVITY	
Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.	
Chemical stability	: Stable.	
Possibility of hazardous	: Reacts with strong oxidising agents.	
reactions Conditions to avoid	: Extremes of temperature and direct sunlight.	
Incompatible materials	: Strong oxidising agents.	
Hazardous decomposition	: No decomposition if stored and applied as directed.	

SECTION 11. TOXICOLOGICAL INFORMATION

Basis for assessment	:	Information given is based on data on the components and the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).
Information on likely routes of exposure	:	Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.
Acute toxicity		
Product:		
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Skin corrosion/irritation		

Product:

products

New Holland Hydraulic Transmission Oil - Premium

Version 1.0Revision Date 01.09.2020Print Date 02.09.2020Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning
can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on
available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Components:

Borated ester: Remarks: May cause an allergic skin reaction in sensitive individuals.

Chronic toxicity

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair

New Holland Hydraulic Transmission Oil - Premium

 Version 1.0
 Revision Date 01.09.2020
 Print Date 02.09.2020

 fertility., Based on available data, the classification criteria are not met.
 not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	: Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components
	and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity	
Product:	
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the clas	
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the clas	
Toxicity to fish (Chronic	: Remarks: Data not available	
toxicity) Toxicity to crustacean (Chronic toxicity)	: Remarks: Data not available	
Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available	
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Not readily biodegrada inherently biodegradable, but compersist in the environment.	
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components bioaccumulate.	with the potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based or products)	n information on similar
Mobility in soil		
Product:		
Mobility	 Remarks: Liquid under most env enters soil, it will adsorb to soil p mobile. Remarks: Floats on water. 	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	 Does not have ozone depletion p ozone creation potential or globa is a mixture of non-volatile comp released to air in any significant conditions of use. Poorly soluble mixture., Causes organisms. Mineral oil does not cause chron organisms at concentrations less 	al warming potential., Product onents, which will not be quantities under normal physical fouling of aquatic ic toxicity to aquatic

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
	Disposal methods, including disposal of packaging, should be in accordance with the Hazardous Substances (Disposal) Notice 2017 and the Act.
Contaminated packaging	: Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks	: Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

Land Transport Rule: Dangerous Goods 2012 -NZS 5433 Not regulated as a dangerous good

International Regulations

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

New Holland Hydraulic Transmission Oil - Premium

Version 1.0	Revision Date 01.09.2020	Print Date 02.09.2020
Special precautions for user		
Remarks	: Special Precautions: Refer to Ser for special precautions which a us needs to comply with in connection	ser needs to be aware of or

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

R-phrase(s)	:	Not classified.
S-phrase(s)	:	Not classified.

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Workplace Exposure Standards and Biological Exposure Indices November 2017. New Zealand Standard 5433:2012 Transport of Dangerous Goods on Land.

Other international regulations

The components of this product are reported in the following inventories:

-	-
:	Not established.
:	Not all components listed.
:	Not all components listed.
	:

SECTION 16. OTHER INFORMATION

Full text of H-Statements

H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.
Full text of other abbreviations	

Aquatic Chronic	Long-term (chronic) aquatic hazard
Asp. Tox.	Aspiration hazard
Skin Sens.	Skin sensitisation

Abbreviations and Acronyms

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency

The content and format of this SDS is in accordance with Hazardous Substances (Safety Data Sheets) Notice 2017

New Holland Hydraulic Transmission Oil - Premium

Varaian 1.0	Devision Date 01 00 2020	Drint Data 02 00 2020
Version 1.0	Revision Date 01.09.2020	
	ally Harmonized System; GLP - Go	
3 ,	rch on Cancer; IATA - Internationa	•
	nstruction and Equipment of Ships	
	al inhibitory concentration; ICAO	
	ry of Existing Chemical Substances	
Maritime Dangerous Goods; IN	MO - International Maritime Organi	zation; ISHL - Industrial Safety
and Health Law (Japan); ISO	International Organisation for 3	Standardization; KECI - Korea
Existing Chemicals Inventory;	LC50 - Lethal Concentration to 50	% of a test population; LD50 -
Lethal Dose to 50% of a te	est population (Median Lethal Do	ose); MARPOL - International
Convention for the Prevention	of Pollution from Ships; n.o.s N	Not Otherwise Specified; Nch -
Chilean Norm; NO(A)EC - No (Observed (Adverse) Effect Concent	ration; NO(A)EL - No Observed
(Adverse) Effect Level; NOELI	R - No Observable Effect Loading	Rate; NOM - Official Mexican
Norm; NTP - National Toxicolo	gy Program; NZIoC - New Zealand	Inventory of Chemicals; OECD
- Organization for Economic Co	o-operation and Development; OPF	PTS - Office of Chemical Safety
	T - Persistent, Bioaccumulative a	
	cals and Chemical Substances; (Q	
	Regulation (EC) No 1907/2006 of t	, , , ,
	gistration, Evaluation, Authorisation	
	omposition Temperature; SDS - Sat	
	y; TDG - Transportation of Dan	
	ted States); UN - United Nation	
	ansport of Dangerous Goods; vPv	
	rkplace Hazardous Materials Inform	

Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN