

SINCE 1842

# PRODUCT RANGE

# MILESTONES

**1842**



J.I. CASE company founded.

**1957**



CASE introduces world's first integrated loader backhoe and acquires American Tractor Corp.

**1958**



CASE begins to manufacture and market articulated loaders.

**1967**



CASE enters excavator market.

**1998**



CASE is the first to offer Ride Control on skid steer loaders.

**1999**




CNH is founded.

**2005**



CASE manufactures the 500,000th loader backhoe.

**2008**



Jerome Increase CASE inducted into the association of equipment manufacturers (AEM) hall of fame.

**201**

## OVER 180 YEARS OF INNOVATION

It all began with an inventor, Jerome Increase CASE, and the challenge of a frontier, not on a map but in the history of modernization. That was in 1842. One hundred and eighty years later CASE's DNA has remained the same: modern, innovative, human. We are the past, the present, the future. ALL TOGETHER!

# EXPERTS FOR THE REAL WORLD

## SINCE 1842

1977




CASE acquires Poclain excavators.

1988



CASE Super K loader/backhoe among Forbes' top 100 American products.

1992



CASE enters excavator supply agreement with Sumitomo.

0

2019



2020



2022



CASE manufactures the 250,000th skid steer loader.

CASE presents its methane powered wheel loader concept: Project Tetra

CASE presents 580 EV, the Industry's first Fully Electric Backhoe Loader

CASE celebrates 180 years of history

# OUR COMPANY



The history of CASE dates back to 1842, when inventor and entrepreneur Jerome Increase Case founded the Racine Threshing Machine Works in Illinois, USA. It was the beginning of an exciting journey of entrepreneurship, ingenuity and continuous development of practical solutions to the challenges of construction jobsites.

Today, CASE serves its customers with products manufactured at its factories based in: the USA, Brazil, Italy, India and Mexico. Its plants operate to World Class Manufacturing (WCM) standards, which set a road map to continuous improvement through the elimination of waste, leading to efficient management of the facility and reduced environmental impact. All of the CASE facilities have achieved WCM Bronze or Silver level delivering consistent high-quality products.

The widespread dealer network means that CASE dealers are always close to the customers, serving them with the world-class equipment produced at these plants and professional after-sales support with industry-leading warranties and flexible financing.

CASE Construction Equipment sells and supports a full line of construction equipment around the world. Through CASE dealers, customers have access to a true professional partner with world-class equipment and aftermarket support, industry-leading warranties and flexible financing.

More information is available at [www.CASEce.com](http://www.CASEce.com).

# OUR VALUES



- **HERITAGE**

CASE is the expertise that comes of people living the construction business since 1842.

- **PEOPLE/PASSION**

CASE is a community of dedicated, pragmatic and determined people who take pride in their work.

- **PROBLEM SOLVING**

CASE provides simple and straightforward solutions to its customers' challenges.

- **HANDS ON**

CASE is at the customer's side in the field and in their business, and actively involved in driving the industry forward.



# HEAVY LINE



**+ WHEEL LOADERS**

p. 4-5

**+ CRAWLER EXCAVATORS**

p. 6-7

**+ MOTOR GRADERS**

p. 8-9

**+ CRAWLER DOZERS**

p. 10-11

**+ SOIL COMPACTORS**

p. 12-13

# WHEEL LOADERS





| MODEL            | OPERATING WEIGHT | ENGINE POWER  | BUCKET CAPACITY        |
|------------------|------------------|---------------|------------------------|
| <b>621XS PRO</b> | 10015/10515 kg   | 97 kW/130 hp  | 1.9/2.3 m <sup>3</sup> |
| <b>F-Series</b>  |                  |               |                        |
| <b>621F</b>      | 12191/13387 kg   | 128 kW/172 hp | 2.0/2.4 m <sup>3</sup> |
| <b>721F</b>      | 14225/15762 kg   | 145kW/195 hp  | 2.4/2.7 m <sup>3</sup> |
| <b>821F</b>      | 17694/18944 kg   | 169kW/227 hp  | 2.8/3.4 m <sup>3</sup> |
| <b>921F</b>      | 20068/21108 kg   | 190kW/255 hp  | 3.6/4.0 m <sup>3</sup> |
| <b>1021F</b>     | 25797/26809 kg   | 239 kW/320 hp | 4.2/4.4 m <sup>3</sup> |
| <b>1121F</b>     | 26831/28457 kg   | 259 kW/347 hp | 4.5/5.0 m <sup>3</sup> |

# CRAWLER EXCAVATORS





| MODEL               | OPERATING WEIGHT | ENGINE POWER  | BUCKET CAPACITY          |
|---------------------|------------------|---------------|--------------------------|
| <b>C-Series</b>     |                  |               |                          |
| <b>CX130C</b>       | 12400 kg         | 75 kW/102 hp  | 0.21-0.73 m <sup>3</sup> |
| <b>CX210C</b>       | 20600 kg         | 117 kW/159 hp | 0.5-1.1 m <sup>3</sup>   |
| <b>CX220C</b>       | 21250 kg         | 117 kW/159 hp | 0.5-1.1 m <sup>3</sup>   |
| <b>CX220C LR</b>    | 23300 kg         | 117 kW/159 hp | 0.37-0.45 m <sup>3</sup> |
| <b>CX220C LC HD</b> | 22220 kg         | 117 kW/159 hp | 0.94-1.1 m <sup>3</sup>  |
| <b>CX250C</b>       | 25100 kg         | 132 kW/179 hp | 1.1-1.3 m <sup>3</sup>   |
| <b>CX300C</b>       | 29400 kg         | 202 kW/274 hp | 1.1-1.4 m <sup>3</sup>   |
| <b>CX350C</b>       | 35600 kg         | 200 kW/271 hp | 1.4-1.8 m <sup>3</sup>   |
| <b>CX370C</b>       | 37200 kg         | 200 kW/271 hp | 1.4-2.0 m <sup>3</sup>   |
| <b>CX490C</b>       | 48700 kg         | 270 kW/362 hp | 1.8-2.4 m <sup>3</sup>   |
| <b>CX500C</b>       | 49300 kg         | 270 kW/362 hp | 2.8-3.0 m <sup>3</sup>   |

# MOTOR GRADERS





| MODEL             | OPERATING WEIGHT* | GROSS POWER   | NET POWER     | MOLDBOARD (STANDARD) |
|-------------------|-------------------|---------------|---------------|----------------------|
| <b>B-Series 2</b> |                   |               |               |                      |
| <b>845B</b>       | 15551 kg          | 129 kW/173 hp | 119 kW/160 hp | 2762 mm              |
| <b>865B</b>       | 17067 kg          | 164 kW/220 hp | 153 kW/205 hp | 3962 mm              |
| <b>885B</b>       | 18318 kg          | 174 kW/234 hp | 167 kW/219 hp | 4267 mm              |

\* Operating weight includes rear ripper and front counter weight

# CRAWLER DOZERS



| MODEL           | ENGINE POWER | BLADE CAPACITY     | DRAWBAR PULL | OPERATION WEIGHT |
|-----------------|--------------|--------------------|--------------|------------------|
| <b>L-Series</b> |              |                    |              |                  |
| <b>1150L</b>    | 130 hp       | 2.9 m <sup>3</sup> | 213 kN       | 13625 Kg         |
| <b>1650L</b>    | 156 hp       | 3.5 m <sup>3</sup> | 275 kN       | 17960 Kg         |
| <b>M-Series</b> |              |                    |              |                  |
| <b>2050M</b>    | 232 hp       | 5.6 m <sup>3</sup> | 360 kN       | 21947 Kg         |



# SOIL COMPACTORS





| MODEL                      | OPERATING WEIGHT | FREQUENCY LOW/HIGH | AMPLITUDE  | ENGINE POWER      |
|----------------------------|------------------|--------------------|------------|-------------------|
| <b>Single Drum Rollers</b> |                  |                    |            |                   |
| <b>1110EX Canopy</b>       | 11030 kg         | 31/34 hz           | 1.8/0.8 mm | 110 hp @ 2200 RPM |
| <b>1110EX-D Canopy</b>     | 11300 kg         | 31/34 hz           | 1.8/0.8 mm | 110 hp @ 2200 RPM |
| <b>1110EX-PD Canopy</b>    | 12450 kg         | 31 hz              | 1.3 mm     | 110 hp @ 2200 RPM |
| <b>1110EX-D Cab</b>        | 11450 kg         | 31/34 hz           | 1.8/0.8 mm | 110 hp @ 2300 RPM |
| <b>1110EX-PD Cab</b>       | 12630 kg         | 31 hz              | 1.3 mm     | 110 hp @ 2300 RPM |
| <b>Double Drum Rollers</b> |                  |                    |            |                   |
| <b>NX450</b>               | 2900 kg          | 55/63 hz           | 0.5 mm     | 25 hp @ 2300 RPM  |

# PARTS & SERVICE



## CNH Industrial Parts & Service has one overriding objective:

-  Maximize your equipment's productive time and performance by providing fast and efficient support.
-  We deliver 24/7, covering a huge machine population through partnerships with suppliers that meet the most stringent quality standards in terms of raw materials and production processes
-  Strict compliance testing to ensure product reliability, durability, and safety, guaranteeing the machine's long-term value and performance
-  Distribution and availability of spare parts and accessories for the entire life cycle of the machine

Our **Original Parts** guarantee the maximum reliability and performance over time. We also offer a wide range of customized Accessories to optimized the efficiency, comfort and safety of our machines.

Our **Remanufactured Parts (Reman)** give new life to products, benefiting our customers and the environment.

Finally, our **Special Lines** meet the demand of spare parts for older machines and other manufacturers' models.



**SERVICE** keep your fleet running smoothly:

- You can count on your CASE dealer to keep your fleet running efficiently with tailored maintenance programmes and technical support delivered by top notch service professionals.
- You can contact your CASE dealer to discuss tailored maintenance packages to enjoy many benefits like better control of your costs and a higher performance from your machine.

**'Put your trust in the CASE professionals'**



## COMPACT LINE



**+ SKID STEER LOADERS**

p. 18-19

**+ COMPACT TRACK LOADERS**

p. 20-21

**+ BACKHOE LOADERS**

p. 22-23

# SKID STEER LOADERS



# COMPACT LINE



| MODEL                | OPERATING WEIGHT | ENGINE POWER  | RATED OPERATING CAPACITY<br>(50% OF TIPPING LOAD) |
|----------------------|------------------|---------------|---|
| <b>Radial Lift</b>   |                  |               |   |
| <b>SR130B</b>        | 2300 kg          | 36 kW/49 hp   | 590 kg  |
| <b>SR150B</b>        | 2430 kg          | 44.7 kW/60 hp | 680 kg  |
| <b>SR175B</b>        | 2842 kg          | 44.7 kW/60 hp | 790 kg  |
| <b>SR200B</b>        | 3160 kg          | 55 kW/74 hp   | 905 kg  |
| <b>SR220B</b>        | 3350 kg          | 61 kW/82 hp   | 1000 kg   |
| <b>SR250B</b>        | 3490 kg          | 67 kW/90 hp   | 1135 kg   |
| <b>Vertical Lift</b> |                  |               |   |
| <b>SV185B</b>        | 2980 kg          | 44.7 kW/60 hp | 840 kg  |
| <b>SV250B</b>        | 3630 kg          | 61 kW/82 hp   | 1135 kg   |
| <b>SV300B</b>        | 3765 kg          | 67 kW/90 hp   | 1364 kg   |

# COMPACT TRACK LOADERS



# COMPACT LINE



| MODEL                | OPERATING WEIGHT | NET POWER   | RATED OPERATING CAPACITY<br>(35% OF TIPPING LOAD) |
|----------------------|------------------|-------------|---|
| <b>Radial Lift</b>   |                  |             |   |
| <b>TR270B</b>        | 3750 kg          | 55 kW/74 hp | 1225 kg   |
| <b>TR320B</b>        | 4355 kg          | 67 kW/90 hp | 1451 kg   |
| <b>Vertical Lift</b> |                  |             |   |
| <b>TV380B</b>        | 4625 kg          | 67 kW/90 hp | 1723 kg   |

# BACKHOE LOADERS



# COMPACT LINE



| MODEL           | OPERATING WEIGHT | GROSS POWER  | BACKHOE DIGGING DEPTH<br>(CASE DNA / INLINE GEOMETRY) |
|-----------------|------------------|--------------|---|
| <b>V-Series</b> |                  |              |   |
| <b>570V</b>     | 7880/8380 kg     | 64 kW/86 hp  | 4.34/5.58 m   |
| <b>570SV</b>    | 7880/8380 kg     | 72 kW/96 hp  | 4.63/5.85 m   |
| <b> </b>        |                  |              |   |
| <b>580V</b>     | 8010/9220 kg     | 72 kW/97 hp  | 5.51-4.44/5.62-4.38 m                                 |
| <b>580SV</b>    | 8010/9220 kg     | 72 kW/97 hp  | 5.51-4.44/5.62-4.38 m                                 |
| <b>590SV</b>    | 8080/9220 kg     | 82 kW/110 hp | 5.51-4.44 /5.62-4.38 m                                |
| <b>695SV</b>    | 8800/9310 kg     | 82 kW/110 hp | 5.96-4.75/5.88-4.66 m                                 |



SINCE 1842

## BUILDING A STRONG CASE.

Since 1842, at CASE Construction Equipment we have lived by an unwavering commitment to build practical, intuitive solutions that deliver both efficiency and productivity.

We continually strive to make it easier for our customers to implement emerging technologies and new compliance mandates.

Today, our global scale combined with our local expertise enables us to keep customers' real-world challenges at the center of our product development.

The vast CASE dealers' network is always ready to support and protect your investment and exceed your expectations, while also providing you with the ultimate ownership experience.

Our goal is to build both stronger machines—and stronger communities. At the end of the day, we do what's right for our customers and our communities so that they can count on CASE.

[CaseCE.com](http://CaseCE.com)

NOTE: Standard and optional fittings can vary according to the demands and specific regulations of each country. The illustrations may include optional rather than standard fittings - consult your Case dealer. Furthermore, CNH Industrial reserves the right to modify machine specifications without incurring any obligation relating to such changes.

Conforms to directive 2006/42/EC