Case TCH Fluid

Version 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
SECTION 1. PRODUCT AND CON	IPANY IDENTIFICATION	
Product name	: Case TCH Fluid	
Product code	: 00115279	
Manufacturer or supplier's of Supplier	 Shell Markets (Middle East) Limited 8th floor, Dubai Convention Tower Za'abeel 307 Dubai Utd.Arab Emir. : (+971) 800035704494 	t
Telefax Emergency telephone number Email Contact for Safety Data Sheet	 : (+971) 43321591 : +60383168800 (OUTSIDE UAE); & UAE) : lubricantSDS@shell.com 	300035704494 (WITHIN
	emical and restrictions on use	
Recommended use	: Transmission oil.	

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements

Hazard pictograms	: No Hazard Symbol required
Signal word	: No signal word
Hazard statements	 PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	: Prevention: No precautionary phrases.
	Response: No precautionary phrases.
	Storage: No precautionary phrases.
	Disposal: No precautionary phrases.

Case TCH Fluid

Version 1.0

Revision Date 24.08.2020

Print Date 28.08.2020

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.Used oil may contain harmful impurities.Not classified as flammable but will burn.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
Chemical nature	:	Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSO- extract, according to IP346.
	:	* contains one or more of the following CAS-numbers: 64742- 53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69- 9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *	Not Assigned	Asp. Tox.1; H304	0 - 90
Alkyl methacrylates copolymer	Not Assigned	Eye Irrit.2A; H319	1 - 3

For explanation of abbreviations see section 16.

SECTION 4. FIRST-AID MEASURES

If inhaled	: No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	: Remove contaminated clothing. Flush exposed area with water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	 Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	: In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	: Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

Version 1.0		Revision Date 24.08.2020	Print Date 28.08.2020
Protection of first-aiders	:	When administering first aid, ensure appropriate personal protective equincident, injury and surroundings.	
Notes to physician	:	Treat symptomatically.	
SECTION 5. FIRE-FIGHTING MEA	SL	RES	
Suitable extinguishing media	:	Foam, water spray or fog. Dry chem dioxide, sand or earth may be used	nical powder, carbon for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.	
Specific hazards during firefighting	:	Hazardous combustion products ma A complex mixture of airborne solid gases (smoke). Carbon monoxide may be evolved i occurs. Unidentified organic and inorganic of	and liquid particulates and fincomplete combustion
Specific extinguishing methods	:	Use extinguishing measures that ar circumstances and the surrounding	
Special protective equipment for firefighters	:	Proper protective equipment includi gloves are to be worn; chemical res large contact with spilled product is Breathing Apparatus must be worn a confined space. Select fire fighter relevant Standards (e.g. Europe: E	sistant suit is indicated if expected. Self-Contained when approaching a fire in 's clothing approved to
Hazchem Code	:	NONE	
SECTION 6. ACCIDENTAL RELEA	ASI	E MEASURES	
Personal precautions, protective equipment and	:	Avoid contact with skin and eyes.	
emergency procedures Environmental precautions	:	Use appropriate containment to avo contamination. Prevent from spread ditches or rivers by using sand, earl barriers.	ling or entering drains,
		Local authorities should be advised cannot be contained.	if significant spillages
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accident Prevent from spreading by making a or other containment material. Reclaim liquid directly or in an abso	a barrier with sand, earth

Case TCH Fluid

Version 1.0	Revision Date 24.08.2020 Print Date 28.08.2020
	Soak up residue with an absorbent such as clay, sand or other suitable material and dispose of properly.
Additional advice	 For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.
SECTION 7. HANDLING AND ST	ORAGE
General Precautions	 Use local exhaust ventilation if there is risk of inhalation of vapours, mists or aerosols. Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this material.
Advice on safe handling	 Avoid prolonged or repeated contact with skin. Avoid inhaling vapour and/or mists. When handling product in drums, safety footwear should be worn and proper handling equipment should be used. Properly dispose of any contaminated rags or cleaning materials in order to prevent fires.
Avoidance of contact	: Strong oxidising agents.
Product Transfer	: Proper grounding and bonding procedures should be used during all bulk transfer operations to avoid static accumulation.
Storage	
Other data	 Keep container tightly closed and in a cool, well-ventilated place. Use properly labeled and closable containers.
	Store at ambient temperature.
Packaging material	 Suitable material: For containers or container linings, use mild steel or high density polyethylene. Unsuitable material: PVC.
Container Advice	: Polyethylene containers should not be exposed to high temperatures because of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
--	-------------------------------------	---	-------

Case TCH Fluid

Version 1.0	Revision Da	ate 24.08.2020	Print	Date 28.08.2020
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	AU OEL
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	Australia. Workplace Exposure Standards for Airborne Contaminant s.
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral	Not Assigned	TWA (Inhalable particulate matter)	5 mg/m3	ACGIH

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures :	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations. Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated. General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or

rsion 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
30111.0	maintenance. Retain drain downs in sealed storage subsequent recycle. Always observe good personal hygien washing hands after handling the mate drinking, and/or smoking. Routinely w	pending disposal or le measures, such as erial and before eating, /ash work clothing and
	protective equipment to remove conta contaminated clothing and footwear th Practice good housekeeping.	
Personal protective equipment		
Protective measures		
Personal protective equipment (P PPE suppliers.	PE) should meet recommended nation	al standards. Check with
Respiratory protection :	No respiratory protection is ordinarily a conditions of use. In accordance with good industrial hyp precautions should be taken to avoid a If engineering controls do not maintain concentrations to a level which is adea health, select respiratory protection ea specific conditions of use and meeting Check with respiratory protective equi Where air-filtering respirators are suita appropriate combination of mask and Select a filter suitable for the combina and vapours and particles [Type A/Typ (149°F)].	giene practices, breathing of material. a airborne quate to protect worker quipment suitable for the prelevant legislation. pment suppliers. able, select an filter. tion of organic gases
Hand protection		
Remarks :	Where hand contact with the product of gloves approved to relevant standards US: F739) made from the following ma- suitable chemical protection. PVC, new gloves Suitability and durability of a gl usage, e.g. frequency and duration of resistance of glove material, dexterity. from glove suppliers. Contaminated gl replaced. Personal hygiene is a key el care. Gloves must only be worn on cle gloves, hands should be washed and Application of a non-perfumed moistur	s (e.g. Europe: EN374, aterials may provide oprene or nitrile rubber ove is dependent on contact, chemical Always seek advice oves should be lement of effective hand ean hands. After using dried thoroughly.
	For continuous contact we recommen breakthrough time of more than 240 m for > 480 minutes where suitable glove short-term/splash protection we recom recognize that suitable gloves offering may not be available and in this case time maybe acceptable so long as app and replacement regimes are followed a good predictor of glove resistance to	ninutes with preference es can be identified. For mend the same but this level of protection a lower breakthrough propriate maintenance d. Glove thickness is not

sion 1.0	Revision Date 24.08.2020 Print Date 28.08.20
	dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model.
Eye protection	: If material is handled such that it could be splashed into eyes protective eyewear is recommended.
Skin and body protection	 Skin protection is not ordinarily required beyond standard work clothes. It is good practice to wear chemical resistant gloves.
Thermal hazards	: Not applicable
Environmental exposure con	trols
General advice	 Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given i Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment pla before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.
TION 9. PHYSICAL AND CHE	MICAL PROPERTIES
TION 9. PHYSICAL AND CHE Appearance	MICAL PROPERTIES : Liquid at room temperature.
Appearance	: Liquid at room temperature.
Appearance Colour	Liquid at room temperature.red
Appearance Colour Odour Threshold	Liquid at room temperature.redData not available
Appearance Colour Odour Threshold pH	 Liquid at room temperature. red Data not available Not applicable
Appearance Colour Odour Threshold pH pour point Melting / freezing point	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016
Appearance Colour Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016 Data not available
Appearance Colour Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling range	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016 Data not available > 280 °C / 536 °Festimated value(s) 170 °C / 338 °F
Appearance Colour Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling range Flash point	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016 Data not available > 280 °C / 536 °Festimated value(s) 170 °C / 338 °F Method: ISO 2592
Appearance Colour Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling range Flash point Evaporation rate	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016 Data not available > 280 °C / 536 °Festimated value(s) 170 °C / 338 °F Method: ISO 2592 Data not available
Appearance Colour Odour Threshold pH pour point Melting / freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability (solid, gas)	 Liquid at room temperature. red Data not available Not applicable -42 °C / -44 °FMethod: ISO 3016 Data not available > 280 °C / 536 °Festimated value(s) 170 °C / 338 °F Method: ISO 2592 Data not available Data not available Data not available

Case TCH Fluid

ersion 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
	estimated value(s)	
Relative vapour density	: > 1estimated value(s)	
Relative density	: 0.880 (15.0 °C / 59.0 °F)	
Density	: 880 kg/m3 (15.0 °C / 59.0 °F) Method: ISO 12185	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: Data not available	
Partition coefficient: n- octanol/water	: log Pow: > 6(based on information	on on similar products)
Auto-ignition temperature	: > 320 °C / 608 °F	
Decomposition temperature	: Data not available	
Viscosity		
Viscosity, dynamic	: Data not available	
Viscosity, kinematic	: 7.5 mm2/s (100 °C / 212 °F) Method: ISO 3104	
	40 mm2/s (40.0 °C / 104.0 °F) Method: ISO 3104	
Explosive properties	: Not classified	
Oxidizing properties	: Data not available	
Conductivity	: This material is not expected to b	be a static accumulator.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	: Stable.
Possibility of hazardous reactions	: Reacts with strong oxidising agents.
Conditions to avoid	: Extremes of temperature and direct sunlight.
Incompatible materials	: Strong oxidising agents.
Hazardous decomposition products	: No decomposition if stored and applied as directed.

Case TCH Fluid

Version 1.0		Revision Date 24.08.2020	Print Date 28.08.2020
SECTION 11. TOXICOLOGICAL I	NF	ORMATION	
Basis for assessment	:	Information given is based on data on t the toxicology of similar products.Unles the data presented is representative of whole, rather than for individual compo	s indicated otherwise, the product as a
Exposure routes	:	Skin and eye contact are the primary ro although exposure may occur following	
Acute toxicity			
Product:			
Acute oral toxicity	:	LD50 rat: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classificat	ion criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the are not met.	classification criteria
Acute dermal toxicity	:	LD50 Rabbit: > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classificat	ion criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Chronic toxicity

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Case TCH Fluid

Version 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
Carcinogenicity		

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

Material	GHS/CLP Carcinogenicity Classification
Highly refined mineral oil	No carcinogenicity classification.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided as far as possible.

Remarks: Slightly irritating to respiratory system.

Version 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
SECTION 12. ECOLOGICAL INFO	RMATION	
Basis for assessment	: Ecotoxicological data have not be for this product. Information given is based on a kr and the ecotoxicology of similar pr Unless indicated otherwise, the da representative of the product as a individual component(s).(LL/EL/IL nominal amount of product require extract).	nowledge of the components roducts. ata presented is whole, rather than for 50 expressed as the
Ecotoxicity		
Product:		
Toxicity to fish (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the class	sification criteria are not met.
Toxicity to crustacean (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the class	sification criteria are not met.
Toxicity to algae/aquatic plants (Acute toxicity)	: Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the class	sification criteria are not met.
Toxicity to fish (Chronic toxicity)	: Remarks: Data not available	
Toxicity to crustacean (Chronic toxicity)	: Remarks: Data not available	
Toxicity to microorganisms (Acute toxicity)	: Remarks: Data not available	
Persistence and degradability		
Product:		
Biodegradability	: Remarks: Not readily biodegradab inherently biodegradable, but cont persist in the environment.	
Bioaccumulative potential		
Product:		
Bioaccumulation	: Remarks: Contains components w bioaccumulate.	vith the potential to
Partition coefficient: n- octanol/water	: log Pow: > 6Remarks: (based on i products)	information on similar
Mobility in soil		

Case TCH Fluid

Version 1.0	Revision Date 24.08.2020	Print Date 28.08.2020
Product:		
Mobility	 Remarks: Liquid under most enviro enters soil, it will adsorb to soil part mobile. Remarks: Floats on water. 	
Other adverse effects		
no data available <u>Product:</u>		
Additional ecological information	 Does not have ozone depletion pot ozone creation potential or global v is a mixture of non-volatile compon released to air in any significant qu conditions of use. Poorly soluble mixture., Causes ph organisms. Mineral oil does not cause chronic organisms at concentrations less th 	varming potential., Product ents, which will not be antities under normal ysical fouling of aquatic toxicity to aquatic

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water courses
	Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.
Contaminated packaging :	Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.
Local legislation Remarks :	Disposal should be in accordance with applicable regional, national, and local laws and regulations.

SECTION 14. TRANSPORT INFORMATION

National Regulations

ADG

Case TCH Fluid

Version 1.0 I Not regulated as a dangerous good

Revision Date 24.08.2020

Print Date 28.08.2020

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform	:	No poison schedule number allocated
Scheduling of Medicines and		
Poisons		

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Product classified as per Work Health Safety Regulations – Implementation of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) 2012 and SDS prepared as per national model code of practice for preparation of safety data sheet for Hazardous chemicals 2011 based on Globally Harmonized Classification version 3.

National Model Code of Practice for the Labelling of Workplace Hazardous Chemicals (2011).

Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG code). Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Other international regulations

The components of this product are reported in the following inventories:

		Net established
EINECS	:	Not established.
TSCA	:	All components listed.
AICS	:	All components listed.

SECTION 16. OTHER INFORMATION

Full text of H-Statements

H304 H319	May be fatal if swallowed and enters airways. Causes serious eye irritation.
Full text of other	,
Asp. Tox.	Aspiration hazard

Case TCH Fluid

Version 1.0 Eve Irrit. Revision Date 24.08.2020 Eve irritation Print Date 28.08.2020

Abbreviations and Acronyms

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory, LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date of preparation or review : 24.08.2020

Further information

Training advice	:	Provide adequate information, instruction and training for operators.
Other information	:	A vertical bar () in the left margin indicates an amendment from the previous version.
Sources of key data used to compile the Safety Data Sheet	:	The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is

Case TCH Fluid

Version 1.0Revision Date 24.08.2020Print Date 28.08.2020not to be considered a warranty or quality specification. The information relates only to the
specific material designated and may not be valid for such material used in combination with any
other materials or in any process, unless specified in the text.

AU / EN