

# FARMALL® SUBCOMPACT 25SC

## SPECIFICATIONS



MODEL	25SC
SERIES CLASSIFICATION	STANDARD
ENGINE	
No. of cylinders / Capacity / Emissions Level [cm³]	3 / 1260 / Stage V
Aspiration	Natural
Gross engine power @3000rpm (hp)*	24.7
Fuel tank capacity (litres)	25
Alternator (amps)	50
PTO	
Rear PTO	Standard
Mid PTO	Standard
PTO horsepower (hp)*	12.8
PTO speed (rear) (rpm)	540
PTO speed (mid) (rpm)	2000
PTO type	Independent electro-hydraulic engagement
TRANSMISSION	
Type / control	2 range hydrostatic / dual pedal
Maximum forward speed (kph)	14.7
HST Cruise control	Standard
Rear diff-lock engagement	Mechanical
Brake type	Wet, multi-disc
HYDRAULICS	
Implement hydraulic flow (Lpm)	17.4
Steering hydraulic flow (Lpm)	8
Total flow (Lpm)	25.4
Remote valves (mid-mounted, joystick control)	2
3-Point hitch	Chain type stabilisers / fixed link ends
Rear lift capacity at ball ends (kg)	450
Rear lift capacity 610mm behind ball ends (kg)	330
Linkage Category	1
FRONT AXLE	
Four-Wheel Drive	Standard
DIMENSIONS AND WEIGHTS	
Wheelbase (mm)	1425
Length (mm)	2473
Width (mm)	1187
Height (top of ROPS) (mm)	2220
Weight (kg)	655

MODEL	25SC
SERIES CLASSIFICATION	STANDARD
<b>MW60S MOWER</b>	
Mounting Point	Mid mount
Cutting Width (mm)	1520
<b>FRONT LOADER</b>	
Max Lift Capacity (kg)	455
Max Lift Height (mm)	1830
Max Hinge Pin Height (mm)	1650
Mechanical Self Levelling	Standard
4 in 1 Bucket Width (in)	47
Joystick Control	Mechanical with electro-hydraulic 3rd service
<b>BH80S BACKHOE</b>	
Bucket Size (in)	9
Digging Depth (mm)	2020
Swing Arc (degrees)	135
Bucket Digging Force (kilogram force)	995
Shipping Weight (kgs)	321

\* At rated engine RPM







[www.caseih.com.au](http://www.caseih.com.au)

SAFETY NEVER HURTS!™ Always read the Operators Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH Industrial Australia Pty Ltd reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

©2025 CNH Industrial Australia Pty Ltd. All rights reserved. Case IH is a trademark registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V., its subsidiaries or affiliates. Any trademarks referred to herein, in association with goods and/or services of companies other than CNH Industrial Australia Pty Ltd, are the property of those respective companies. Printed in Australia.  
[www.caseih.com](http://www.caseih.com) 25CIHFARMALLSCS April 2025

**CASE IH**