

ZOOM



GENUINE FUEL FILTER GET THE BEST OUT OF YOUR MACHINE

CASE IH MAKES THE DIFFERENCE.
LET'S SEE HOW.




GENUINEPARTS
HIGH PERFORMANCE


CASE IH


The key role played by the fuel filter.

With the increasing prevalence of "common rail" * systems, the quality of diesel fuel filtration is essential for **the protection and performance of the injection system.**


CASE IH fuel filters are designed specifically for your engine, and ensure the cleanliness of the fuel, removing four types of contaminants:








WHY CHOOSE GENUINE FUEL FILTER?




Why choose Genuine CASE IH fuel filter?

ESSENTIAL PROPERTIES OF A FILTER

CASE IH fuel filters boast three complementary properties:

Capacity Maximum quantity of contaminants that the filter can retain	+	Efficiency Retention efficiency percentage for a given particle size	+	Load leakage Resistance to the outflow of fuel in the filter which will restrict the flow rate	=	 <p>CASE IH FILTER</p> <p>Optimised for each engine</p>
--	---	--	---	--	---	---



5x more efficient!

Size of particles	CASE IH filter	Filter X
3µm	90,31%	15,5%
6µm	99,64%	16,2%
30µm	100%	23,1%

These three characteristics must be combined in the right measure, so that the fuel circulates and stays clean over time. Only genuine replacement parts can guarantee optimum filtration for your specific usage needs.

THE FILTERING MATERIAL: A HIGH-TECHNOLOGY ELEMENT


To ensure that these 3 characteristics are present, the quality of the filtering element is crucial. CASE IH uses **a multi-layer filtering material** which stops the majority of particles of all sizes.



Reinforced structure of the inner cartridge which prevents leaks and unfiltered fluid from bypassing the filter.




CASE IH filter



All hazardous filtered particles

Low-quality filter



Fine, hazardous particles which are not retained

* Particles which lead to premature engine wear.

THE STRUCTURE: THE DIFFERENCE IS ON THE INSIDE

CASE IH chooses materials that can withstand extreme temperature, vibrations and pressure.

These conditions, which are subjected to dynamic pressure tests* in the laboratory, allow us to validate the quality of our products.

CASE IH filter

4 000 000 cycles




Fault free



Low-quality filter

3099 cycles



Crack failure = fuel leakage



CASE IH FILTER



Made to last

*Test conducted at a frequency of 10 Hz with pressures varying from 0 to 12 bar, equal to a pressure of 12 kg /cm2 applied every second.

Recommendations for use.

MAINTENANCE INTERVALS

It is recommended that you **change your filter, along with the pre-filter, every 600 hours, or once a year***.

USAGE PRECAUTIONS

- If the filter is not packaged, store it upside down to prevent dust from falling into it
- Always handle by the tank
- Lightly oil the joint for ease of tightening

* Duration generally observed, please refer to your vehicle maintenance manual or the filter booklet for more information.

IT'S BETTER TO CHANGE A FILTER THAN A BANK OF FUEL INJECTORS!

Did you know?

A new filter can contain metal residues left over from the manufacturing process. These residues can cause irreversible damage to your fuel injection system. For this reason, CASE IH produces key components in a controlled environment, and in addition, washes some of these to ensure the best performance of your new filter.



Controlled environment site.

CASE IH FILTER



CLEAN
FILTER



**At any time, easily and safely
from the CASE IH web shop**



caseih.com

www.mycnhstore.com

CASE IH a brand of CNH © 2024